



46

**COLOMBIA - HEADQUARTERS
MAILING ADDRESS**

AB MARINE GROUP
CALLE 1E No. 2-15, BODEGA No. 9
ZONA FRANCA DE BARRANQUILLA
BARRANQUILLA, ATLANTICO
PHONE: +57 (5) 379.5132
FAX: +57 (5) 379.5667
INFO@ABINFLATABLES.COM

46

AB Inflatables, a division of AB Marine Group, is world renowned as the premier designer and manufacturer of inflatable boats for both the leisure and professional markets. AB Inflatables has a long established reputation for innovative design, superior construction, and outstanding customer satisfaction.

Our boats have earned their status as the world's finest inflatables. AB is one of only a few RIB manufacturers to have CE, NMMA as well as ISO 9001 certification. At AB, we insist on an unwavering attention to detail. We travel the world to procure the finest materials available. We painstakingly hand-craft each boat, to ensure that even the smallest details are considered. The result is a full line of inflatable boats, designed and built to provide our customers with the exceptional quality they deserve, and have come to expect from AB.

We are committed to meeting the ever changing needs of our customers. It is this commitment that drives our desire for constant innovation. AB Inflatables has never shied away from the hard work of refining our existing models, designing new inflatables, or retooling our workshop to ensure that AB boats are truly the most celebrated watercraft on the market. This un-equalled pursuit of perfection has long distinguished AB from the competition. With almost five decades of proven expertise, AB Inflatables has earned its reputation for excellence.

Our unparalleled craftsmanship, relentless innovation, and commitment to customer service have made the entire AB line the most prestigious and sought after inflatables on the market. Contact one of our dealers today to discover for yourself why AB Inflatables are the choice of discriminating boaters worldwide.

years of innovation and
craftsmanship



Why ab?



QUALITY

At AB, we are obsessed with quality. We can't imagine doing business any other way. That is why we refuse to settle for average or substandard materials, or to sacrifice hand-craftsmanship for the speed of mechanized assembly lines. We believe that exceptional quality can only be achieved by combining the finest materials with an unflagging attention to detail. When you buy an AB Inflatable, you can rest assured that you are buying a watercraft that is unrivaled in the industry.

MORE THAN A TENDER ...

CONSTRUCTION OF ORCA (CSM) COATED FABRIC

A. EXTERNAL (CSM) LAYER:

WEATHER RESISTANCE (FADING AND AGEING)
CHEMICAL RESISTANCE
ABRASION RESISTANCE


B. LAYER OF NEOPRENE IN BETWEEN THE (CSM) AND THE TEXTILE

C. HIGH TENSILE TEXTILE:

BASIC MECHANICAL PROPERTIES
(TENSILE STRENGTH AND TEAR RESISTANCE)
DIMENSIONAL STABILITY (NO DISTORTION)

D. INTERIOR NEOPRENE SHEETS GIVE:

AIR-TIGHTNESS (NO AIR PASSES THROUGH TO THE TEXTILE)
EXCELLENT ADHESION TO THE TEXTILE AND TO OTHER RUBBERS



1

THE LIGHTWEIGHT PROPERTIES OF AN AB INFLATABLE MAKE IT EASIER TO MANEUVER WHILE DOCKING AND UNDERWAY.

2

AB INFLATABLES ARE EXTREMELY FUEL EFFICIENT AND OFFER TREMENDOUS SAVINGS AT THE FUEL DOCK OVER TRADITIONAL FIBERGLASS BOATS.

3

MOST MODELS CAN BE TOWED BY NEARLY ANY FOUR CYLINDER VEHICLE SAVING YOU THE FUEL COSTS AND EXPENSE ASSOCIATED WITH THE LARGER TOW VEHICLES REQUIRED FOR TRADITIONAL BOATS.

4

AB'S LARGE ORCA (CSM) TUBES AND INNOVATIVE FORWARD HULL DESIGN PROVIDE FOR A MUCH DRIER AND SMOOTHER RIDE THAN TRADITIONAL BOATS.

5

AB INFLATABLES OFFER MORE STABILITY, LOAD CAPACITY AND COMFORT THAN MUCH LARGER AND HEAVIER TRADITIONAL BOATS.

There are countless reasons for choosing an AB Inflatables as your tender, but there are just as many reasons for choosing an AB Inflatable as your primary boat.

TUBES

AB inflatable tubes are unequalled in the industry. They are constructed from a 5-ply Orca Chlorosulfonated Polyethylene (CSM) coated fabric that is specifically manufactured to resist scratches and UV damage, while retaining its remarkable durability. This fabric is so superior we guarantee it with a ten year limited warranty, the longest available in the industry. Our seams are overlapped a full inch and reinforced by taping on the inside. Our rounded tube ends require meticulous craftsmanship, and are costly to produce, but they allow for extension of the rub rail around the tube to protect the stern, and their graceful lines are unmatched by our competitors. AB inflatable tubes boast a larger diameter that improves safety and seaworthiness, increases payload capabilities, and helps to ensure a dry and comfortable ride. Every AB tube, except the 7.5, 8 & 9UL, features a minimum of three air chambers. They are divided by a special baffle system that equalizes the pressure in all chambers. This results in an additional measure of safety.

In addition, each AB model has tubes that are individually proportioned to compliment the hull dimensions. This precision design and craftsmanship means AB customers will always enjoy the greatest possible function and comfort available.

HULLS

All AB hulls are constructed from either double-molded, hand-laid fiberglass, or high quality, marine-grade aluminum. Our unique forward hull design extends the hull further forward and increases the length of the keel, as well as the interior space. The elegant lines produced by this design are characteristic of all AB boats, but the true genius is in the engineering. Our forward hull design creates a raised bow and deep "V" hull which enhance the performance of every AB model by allowing them to plane more easily with less horsepower, and cut through wakes and chop, virtually eliminating spray, for a smoother, more stable, and drier ride. Inside the boat, this design extends our floors forward and creates a wider and longer bow. The result is a roomier, more comfortable craft with plenty of storage for gear and provisions. AB hulls cost more to build, but we think you'll agree that the increased performance and comfort they provide are well worth it.

WARRANTY



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

6

AB'S STURDY TUBES ARE LESS PRONE TO DAMAGE THAN TRADITIONAL FIBERGLASS BOATS WHEN MAKING CONTACT WITH DOCKS OR OTHER BOATS.

7

THE DESIGN AND LIGHTWEIGHT OF AN AB INFLATABLE MAKES IT EASIER TO LOAD AND UNLOAD FROM YOUR TRAILER.

8

AB BOATS ARE MORE LIKELY TO FIT IN A STANDARD GARAGE SAVING DOCK FEES AND MAINTENANCE.

9

AB INFLATABLES ACHIEVE SUPERIOR PERFORMANCE AND SPEEDS WITH FAR LESS HORSEPOWER THAN TRADITIONAL BOATS.

10

AB BOATS ARE DESIGNED TO GET ON PLANE FASTER AND ARE ABLE TO STAY ON PLANE AT LOWER SPEEDS MAKING THEM IDEAL FOR TOWING SKIERS AND TUBES.

Nautilus®

DLX

A dream to pilot,
unparalleled style

19 DLX



Prestigious yacht tender
Full featured and well appointed
Comfortable, built-in, upholstered seating
Graceful lines and elegant styling
Built-in coolers and ample storage
Built-in marine grade aluminum fuel tank



19 DLX

STANDARD FEATURES

- LED COURTESY LIGHTS
- HYDRAULIC STEERING SYSTEM (14 - 19)
- HEIGHT ADJUSTABLE STEERING WHEEL (17 & 19)
- GAS SPRINGS
- LED COURTESY LIGHTS
- STAINLESS STEEL BOW EYE
- BOW STEP
- INTEGRATED STAINLESS STEEL BOW RAILS
- BOW LOCKER WITH CUSHIONED SEATING
- CLOSED CELL FOAM UPHOLSTERY
- UNDER SEAT STORAGE COMPARTMENTS
- BUILT-IN COOLER WITH DRAIN
- 3 STAINLESS STEEL FOLD DOWN CLEATS
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- INTEGRATED FIBERGLASS CONSOLE
- INTEGRATED FUEL TANK
- FRESH WATER SYSTEM (MODELS 14, 15, 17 & 19)
- MAINTENANCE KIT
- DOUBLE RUB RAIL
- SUNBATHING BED (MODELS 17 & 19)
- STAINLESS STEEL TIE DOWN EYES
- STANDARD RIGGING
- STAINLESS STEEL TOW RINGS
- 3 LAYER REINFORCED SEAMS
- ORCA (CSM) FABRIC
- HAND PUMP
- OWNER'S MANUAL

OPTIONAL FEATURES

- LIGHT ARCH
- BIMINI TOP
- TEAK FLOOR
- COMPASS
- STEREO SYSTEM
- VHF RADIO
- GPS
- ROD HOLDERS
- STAINLESS STEEL SKI TOW (13 TO 19)
- COVER
- TRANSOM LADDER
- CHOCK SET
- CONSOLE COVER
- LIFTING HARNESS

14 DLX



FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com

11 DLX

12 DLX

13 DLX

14 DLX

15 DLX

17 DLX
WIDEBODY
BOWRIDER

19 DLX
WIDEBODY
BOWRIDER

19 DLX-I/O
WIDEBODY
BOWRIDER



19 DLX



17 DLX | BOWRIDER

NAUTILUS | DLX
LUXURY CONSOLE TENDERS

Beautifully crafted with elegant lines and painstaking attention to detail, the Nautilus series is our premier line of luxury tenders. The Nautilus line was created with the discerning yachtsman in mind. Its superior design is a reflection of the exceptional performance, comfort, and style sought by our most demanding customers. Each Nautilus model is meticulously hand crafted using only the finest materials, and richly appointed with an impressive array of amenities.

The Nautilus series offers outstanding maneuverability, making these boats a pleasure to pilot whether in open water or high-traffic harbors. Nautilus models are the tenders of choice for yacht owners and captains who will accept only the best.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Nautilus®


DLX

Luxury console tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

11 DLX




OVERALL LENGTH	11' / 3.35m
OVERALL BEAM	5' 10" / 1.78m
INSIDE LENGTH	8' / 2.44m
INSIDE BEAM	2' 7" / 0.79m
TUBE DIAMETER	17" / 0.43m
PERSON CAPACITY	4
WEIGHT	440lbs / 200kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50.8cm

12 DLX




OVERALL LENGTH	12' / 3.66m
OVERALL BEAM	6' / 1.82m
INSIDE LENGTH	9' 2" / 2.79m
INSIDE BEAM	2' 10" / 0.86m
TUBE DIAMETER	18" / 0.46m
PERSON CAPACITY	5
WEIGHT	515lbs / 234kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50.8cm

13 DLX



OVERALL LENGTH	13' / 3.96m
OVERALL BEAM	6' 5" / 1.95m
INSIDE LENGTH	9' 9" / 2.97m
INSIDE BEAM	3' 1" / 0.94m
TUBE DIAMETER	18" / 0.46m
PERSON CAPACITY	5
WEIGHT	579lbs / 263kg
RECOMMENDED HP	40
MAXIMUM HP	60
SHAFT LENGTH	20" / 50.8cm

NAUTILUS 17 DLX | MAIN FEATURES








PICTURE A
THE BOW AREA ON NAUTILUS 17 AND 19 MODELS CAN BE CONVERTED INTO A SUNBATHING BED

14 DLX**15 DLX****17 DLX****19 DLX****NEW****19 DLX-I/O**

WIDEBODY BOWRIDER

WIDEBODY BOWRIDER

WIDEBODY BOWRIDER



OVERALL LENGTH	14' / 4.27m	OVERALL LENGTH	15' / 4.57m	OVERALL LENGTH	17' / 5.18m	OVERALL LENGTH	19' / 5.79m	OVERALL LENGTH	19' / 5.79m
OVERALL BEAM	6' 6" / 1.98m	OVERALL BEAM	6' 9" / 2.05m	OVERALL BEAM	8' 1" / 2.46m	OVERALL BEAM	8' 4" / 2.54m	OVERALL BEAM	8' 4" / 2.54m
INSIDE LENGTH	10' 10" / 3.30m	INSIDE LENGTH	11' 6" / 3.50m	INSIDE LENGTH	13' 1" / 4.00m	INSIDE LENGTH	15' 4" / 4.67	INSIDE LENGTH	15' 4" / 4.67
INSIDE BEAM	3' 1" / 0.94m	INSIDE BEAM	3' 2" / 0.97m	INSIDE BEAM	4' 5" / 1.35m	INSIDE BEAM	4' 5" / 1.35m	INSIDE BEAM	4' 5" / 1.35m
TUBE DIAMETER	19" / 0,48m	TUBE DIAMETER	19" / 0,48m	TUBE DIAMETER	20" / 0,51m	TUBE DIAMETER	22" / 0,56m	TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	6	PERSON CAPACITY	6	PERSON CAPACITY	10	PERSON CAPACITY	12	PERSON CAPACITY	10
WEIGHT	711lbs / 323kg	WEIGHT	739lbs / 336kg	WEIGHT	1181lbs / 537kg	WEIGHT	1639lbs / 745kg	WEIGHT	1551lbs / 705kg
RECOMMENDED HP	50	RECOMMENDED HP	60	RECOMMENDED HP	90	RECOMMENDED HP	115	RECOMMENDED HP	150
MAXIMUM HP	70	MAXIMUM HP	75	MAXIMUM HP	115	MAXIMUM HP	150	MAXIMUM HP	220
SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	25" / 63,5cm	SHAFT LENGTH	



19 DLX



PICTURE B
ALL NAUTILUS BOATS FEATURE BUILT-IN COOLERS

PICTURE C
ALL AB CONSOLES INCLUDE HATCHES FOR EASY ACCESS TO ELECTRONICS AND GAUGES

PICTURE D
NAUTILUS MODELS OFFER AMPLE STORAGE BENEATH THE STERN SEAT

Oceanus®

VST

Unsurpassed
performance &
versatility

14VST



Fiberglass sport console rib
Open and spacious design
Stylish consoles with windshields and rails
Four davit lifting points
Cushioned bow locker
Ideal for diving and fishing
Large capacity for crew & equipment
Primary boat or yacht tender
Built-in marine grade aluminum fuel tank

24 VST



28 VST

STANDARD FEATURES

LED COURTESY LIGHTS (19, 24 & 28)
HYDRAULIC STEERING SYSTEM (19, 24 & 28)
GAS SPRINGS
STAINLESS STEEL BOW EYE
BOW STEP
STAINLESS STEEL GRAB HANDLES ON TUBES
BOW RAILS
BOW LOCKER WITH CUSHIONED SEATING
BOW HATCH CUSHION
CLOSED CELL FOAM UPHOLSTERY
UNDER SEAT STORAGE COMPARTMENTS
3 STAINLESS STEEL FOLD DOWN CLEATS
4 STAINLESS STEEL DAVIT LIFTING POINTS
FIBERGLASS CONSOLE
LEANING BOLSTER (19, 24 & 28)
INTEGRATED FUEL TANK
FRESH WATER SYSTEM (MODELS 19, 24 & 28)
MAINTENANCE KIT
SOLID DOUBLE RUB RAIL
STANDARD RIGGING
STAINLESS STEEL TOW RINGS
3 LAYER REINFORCED SEAMS
ORCA (CSM) FABRIC
HAND PUMP
OWNER'S MANUAL

OPTIONAL FEATURES

LIGHT ARCH
BIMINI TOP
T-TOP (MODEL 19, 24 & 28)
TEAK FLOOR
COMPASS
STEREO SYSTEM
VHF RADIO
GPS
ROD HOLDERS
STAINLESS STEEL SKI TOW (14 TO 28)
COVER
TRANSOM LADDER
CHOCK SET
CONSOLE COVER
LIFTING HARNESS (EXCEPT 28)
CONSOLE WITH LATERAL SEAT

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



OCEANUS | VST FIBERGLASS CONSOLE TENDERS

Our Oceanus line of console tenders was designed for professionals and cruisers who depend on serious performance and comfort. These boats feature AB's unique forward-hull design, making them the most spacious console tenders on the market. The extra-deep V-hull and innovative tube design allows the Oceanus to cut through the water with unsurpassed grace, virtually eliminating unwanted spray, for a truly exhilarating cruising experience.

Oceanus boats feature comfortable, upholstered seating, smartly designed consoles, and ample storage lockers that keep gear dry and safe. Boaters looking for an extremely seaworthy, high-performance, rigid inflatable will be pleased to know that several Oceanus models were originally designed for the Italian Coast Guard. With its spacious interior, impressive maneuverability, and sporty design, it's easy to understand why Oceanus boats are the first choice of so many sport's enthusiasts, yacht clubs and professional organizations around the globe.



12 VST



13 VST



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



Oceanus®


VST

Fiberglass
console tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

OCEANUS 15 VST | MAIN FEATURES




14 VST



13 VST


11 VST




OVERALL LENGTH	11' / 3,35m
OVERALL BEAM	5' 8" / 1,73m
INSIDE LENGTH	8' 1" / 2,47m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	370lbs / 168kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm




14 VST




12 VST **13 VST** **14 VST** **15 VST** **17 VST** **NEW**




OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' 1" / 1,86m
INSIDE LENGTH	9' 2" / 2,79m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	405lbs / 184kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm




OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 4" / 1,93m
INSIDE LENGTH	9' 9" / 2,97m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	477lbs / 217kg
RECOMMENDED HP	40
MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm



OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 5" / 1,96m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	510lbs / 232kg
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm



OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 6" / 1,99m
INSIDE LENGTH	11' 6" / 3,50m
INSIDE BEAM	3' 2" / 0,97m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	9
WEIGHT	605lbs / 275kg
RECOMMENDED HP	60
MAXIMUM HP	75
SHAFT LENGTH	20" / 50,8cm



OVERALL LENGTH	17' / 5,18m
OVERALL BEAM	8' 1" / 2,46m
INSIDE LENGTH	13' 1" / 3,99m
INSIDE BEAM	4' 2" / 1,27m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	12
WEIGHT	1104lbs / 502kg
RECOMMENDED HP	90
MAXIMUM HP	115
SHAFT LENGTH	20" / 50,8cm




17 VST

PICTURE A
THE OCEANUS LINE FEATURES BOW RAILS DESIGNED FOR EASY, UNOBSTRUCTED BOARDING, AND COME STANDARD WITH FOUR DAVIT LIFTING POINTS

PICTURE B
FOLD DOWN CLEATS AT THE BOW AND STERN OFFER SECURING POINTS WITHOUT GETTING IN THE WAY

PICTURE C
ALL AB CONSOLES INCLUDE HATCHES FOR EASY ACCESS TO ELECTRONICS AND GAUGES


19 VST



OVERALL LENGTH	19' / 5,79m
OVERALL BEAM	8' 4" / 2,53m
INSIDE LENGTH	14' 11" / 4,55m
INSIDE BEAM	4' 4" / 1,32m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	15
WEIGHT	1252lbs / 569kg
RECOMMENDED HP	115
MAXIMUM HP	150
SHAFT LENGTH	25" / 63,5cm


24 VST

BOWRIDER



OVERALL LENGTH	24' / 7,31m
OVERALL BEAM	9' 3" / 2,82m
INSIDE LENGTH	19' 3" / 5,87m
INSIDE BEAM	5' 4" / 1,64m
TUBE DIAMETER	24" / 0,61m
PERSON CAPACITY	20
WEIGHT	2213lbs / 1006kg
RECOMMENDED HP	150
MAXIMUM HP	250
SHAFT LENGTH	25" / 63,5cm

28 VST



OVERALL LENGTH	27' 4" / 8,33m
OVERALL BEAM	10' 1" / 3,07m
INSIDE LENGTH	22' 11" / 6,99m
INSIDE BEAM	6' 4" / 1,93m
TUBE DIAMETER	24" / 0,61m
PERSON CAPACITY	25
WEIGHT	2853lbs / 1297kg
RECOMMENDED HP	250
MAXIMUM HP	450
SHAFT LENGTH	30" / 76,2cm

Oceanus® 17

NEW VST

More design,
more versatile.



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

Fiberglass sport console rib
New & stylish console
Lateral console, bow rider and sun bed options
Full featured, including fresh water system
& height adjustable steering helm
Cup holders
New upholstery design
Led courtesy lights
Primary boat or yacht tender
Various tube color options
Built-in marine grade aluminum fuel tank



STANDARD FEATURES

2 SS DRINK HOLDERS ON CONSOLE
 FRESH WATER SYSTEM
 HEIGHT ADJUSTABLE STEERING HELM
 LED COURTESY LIGHTS
 STAINLESS STEEL GRAB HANDLES ON TUBES
 HYDRAULIC STEERING SYSTEM
 GAS SPRINGS
 STAINLESS STEEL BOW EYE
 BOW STEP
 BOW RAILS
 BOW LOCKER WITH CUSHIONED SEATING
 BOW HATCH CUSHION
 CLOSED CELL FOAM UPHOLSTERY
 UNDER SEAT STORAGE COMPARTMENTS
 3 STAINLESS STEEL FOLD DOWN CLEATS
 4 STAINLESS STEEL DAVIT LIFTING POINTS
 FIBERGLASS CONSOLE
 INTEGRATED FUEL TANK
 MAINTENANCE KIT
 SOLID DOUBLE RUB RAIL
 STANDARD RIGGING
 STAINLESS STEEL TOW RINGS
 3 LAYER REINFORCED SEAMS
 ORCA (CSM) FABRIC
 HAND PUMP
 OWNER'S MANUAL

OPTIONAL FEATURES

CONSOLE WITH LATERAL SEAT
 BOW RIDER SEATS
 SUNBED
 LIGHT ARCH
 BIMINI TOP
 TEAK FLOOR
 COMPASS
 STEREO SYSTEM
 VHF RADIO
 GPS
 ROD HOLDERS
 STAINLESS STEEL SKI TOW COVER
 TRANSOM LADDER
 CHOCK SET
 CONSOLE COVER
 LIFTING HARNESS

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



NEW OCEANUS 17 | VST
SPORT AND LUXURY CONSOLE TENDERS

The new Oceanus 17 VST has a distinctive luxury-sport design. It is the ideal console RIB when sharing the boating experience with family and friends.

The newly designed console is one of the most striking features of this new model, making it one of the most spacious console RIBs in its category on the market today. Like all other Oceanus models, the new 17 VST has AB's unique forward hull design with an extra deep "V". This allows for a true cruising experience, cutting through water with surpassing grace while still avoiding unwanted spray. Its large front panel for navigation equipment, a wide front access lid for maintenance and equipment installation, a front seat with embedded storage, and beautiful stainless steel rails combine perfectly with the console's design.

For those in need of even more space, a console with a lateral seat is also available for extra seating & storage. If that's still not enough, a bow rider with a sunbed option is also available.



Oceanus® 17

NEW VST

The 17 vst has moved to a higher level with the new bowrider & sunbed option.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



PICTURE A
SUN BED CUSHIONS FIT ON REAR SEAT STORAGE

PICTURE B
NEW STYLISH CONSOLE WITH CUP HOLDERS

PICTURE C
NEW UPHOLSTERY DESIGN



1

17 VST
W/ LATERAL SEAT

P. N°: 207-0001-000017



2

17 VST
W/ BOWRIDER

P. N°: 207-0005-000017



3

17 VST
W/ SUNBED

P. N°: 204-0025-000033




Use our different color skins to give your 17 vst a unique personality.




OCEAN C-W




CREAM C-W




NEPTUNO W-B



COLORADO W-B



ICE C-W



MACC

Mares®

VSX


Compact,
lightweight &
practical

Fiberglass Sport Console Rib
Ideal as a Yacht Tender
Light weight yet rugged construction
Cushioned Bow Locker
Four Davit Lifting points
Ample Storage



10 VSX

MARES 12 VSX | MAIN FEATURES



STANDARD FEATURES

STAINLESS STEEL BOW EYE
BOW LOCKER SEAT & CUSHION
INTEGRATED FIBERGLASS CONSOLE
CLOSED CELL FOAM UPHOLSTERY
UNDER SEAT STORAGE COMPARTMENTS
4 STAINLESS STEEL DAVIT LIFTING POINTS
SINGLE SOLID RUB RAIL
STANDARD RIGGING
STAINLESS STEEL TOW RINGS
ORCA (CSM) FABRIC HANDLES ON TUBES
3 LAYER REINFORCED SEAMS
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

TUBE CHAPS
COVER
CHOCK SET
BIMINI TOP
LIFTING HARNESS
STEREO SYSTEM
COMPASS
GPS
VHF RADIO
BOW STEP WITH FOLD DOWN CLEAT

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



MARES | VSX
LIGHTWEIGHT FIBERGLASS
CONSOLE TENDERS

The Mares is a light weight economy console tender. Based on the roomy open Navigo VS tenders, with the driest ride in the industry, we have added molded in cushioned seating for 4 adults on the Mares 10 and 5 on the Mares 12. This feature packed boat includes all the necessary equipment.

Features include ORCA® CSM fabric, LED navigation lights, bilge pump, stainless steel steering wheel and grab handle, concealed stowage in bow locker, center console and flip open rear seat. Four stainless steel davit lifting points complete this versatile package.



10 VSX		12 VSX	
OVERALL LENGTH	10' 6" / 3,19m	OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	5' 7" / 1,72m	OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	7' 7" / 2,31m	INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 8" / 0,81m	INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	17" / 0,43m	TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	4	PERSON CAPACITY	5
WEIGHT	262lbs / 119kg	WEIGHT	337lbs / 153kg
RECOMMENDED HP	25	RECOMMENDED HP	30
MAXIMUM HP	30	MAXIMUM HP	40
SHAFT LENGTH	15-20" / 38,1-50,8cm	SHAFT LENGTH	20" / 50,8cm



PICTURE A
 MARES MODELS OFFER
 AMPLE STORAGE BENEATH
 THE STERN SEAT.



Navigo[®]

VS

The roomiest on
the market

10 VS



Full featured open tender
Attractive non-skid diamond pattern floor
Four davit lifting points
Large bow locker with seating
Double fiberglass hull
Double rub rail





10 VS

- 8 VS
- 9 VS
- 10 VS
- 12 VS
- 13 VS
- 14 VS

NAVIGO | VS
OPEN FIBERGLASS TENDERS

The Navigo series is our premier line of open tenders. Hand crafted with careful consideration to every detail, these boats are designed for maximum performance, comfort, and durability.

The Navigo series features AB's unique forward-hull design, making them the most spacious tenders on the market. In addition, all Navigo models are equipped with all the amenities sought by serious boaters, including: a large bow locker with seating, diamond pattern non-skid fiberglass deck, a double solid rub rail, four davit lifting rings, heavy-duty (CSM) Fabric carry handles, and much more. The raised bow and large-diameter tubes provide for the driest and most comfortable ride of any open tender on the market. The Navigo line will impress even the most discriminating boater.



14 VS

STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- BOW LOCKER SEAT
- 4 STAINLESS STEEL DAVIT LIFTING POINTS
- ROWING SEAT
- OARLOCK BASE WITH OARLOCKS (EXCEPT MODELS 12, 13 & 14)
- ORCA (CSM) FABRIC HANDLES ON TUBES
- ORCA (CSM) FABRIC
- ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR
- SOLID DOUBLE RUB RAIL
- STAINLESS STEEL TOW RINGS
- 3 LAYER REINFORCED SEAMS
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- BOW STEP WITH FOLD DOWN CLEAT
- FIBERGLASS CONSOLE
- FIBERGLASS CONSOLE WITH FORWARD SEAT
- BENCH SEAT WITH STORAGE
- TWO PERSON JOCKEY SEAT
- STAINLESS STEEL HELM UNIT
- LATERAL FOLD DOWN CLEATS
- BIMINI TOP COVER
- BOW HATCH CUSHION
- TUBE CHAPS
- CHOCK SET

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Navigo®


VS

Open fiberglass tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

8 VS




OVERALL LENGTH	8' 6" / 2,60m
OVERALL BEAM	5' 4" / 1,64m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 4" / 0,72m
TUBE DIAMETER	16" / 0,40m
PERSON CAPACITY	4
WEIGHT	125lbs / 57kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm

9 VS




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	6' 9" / 2,06m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	143lbs / 65kg
RECOMMENDED HP	9.9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm

10 VS



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	169lbs / 77kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	15" / 38,1cm




NAVIGO 10 VS | MAIN FEATURES AND OPTIONAL EQUIPMENT



12 VS

13 VS

14 VS



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	202lbs / 92kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15 - 20" / 38,1-50,8cm

OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	9' 9" / 2,97m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	293lbs / 133kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	348lbs / 158kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm



12 VS



8 VS



AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT



1



3



5



2



4



6

7

PICTURE A
BOW LOCKER PROVIDES SEATING AND AMPLE STORAGE

PICTURE B
NAVIGO MODELS FEATURE AN ALUMINUM TRANSOM PROTECTOR AND FOUR DAVIT LIFTING POINTS

(*) ALSO AVAILABLE IN LONG SHAFT

1. CONSOLE WITH FORWARD SEAT
H 42" / W 18" / D 32" - WT 48lbs
H 1.08m / W 0.45m / D 0.82m - WT 22Kg

2. BENCH SEAT WITH STORAGE
H 17" / W 30" / D 16" - WT 39lbs
H 0.43m / W 0.77m / D 0.40m - WT 18Kg
FITS STANDARD 6 GL FUEL TANK

3. CONSOLE WITHOUT FORWARD SEAT
H 38" / W 18" / D 16" - WT 33lbs
H 0.96m / W 0.45m / D 0.40m - WT 15Kg

4. TWO PERSON JOCKEY SEAT
H 34" / W 17" / D 48" - WT 35lbs
H 0.86m / W 0.42m / D 1.23m - WT 16Kg

5. FIBERGLASS MODULAR CONSOLE SMALL
H 25.62" / W 16.43" / D 18.43" - WT 24lbs
H 73 cm / W 42 cm / D 47 cm - WT 11Kg

6. BOW CLEAT
H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg

7. LATERAL CLEAT
H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg

Ventus[®]


VL

Light in weight,
heavy in features

- Lightweight fiberglass tender
- Ideal sailboat tender
- Easily towed and lifted
- Spacious interior with deeper freeboard
- Full-length deep "V" keel
- Special rubber non skid material



VENTUS 10 VL | MAIN FEATURES



STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- ROWING SEAT
- ORARLOCK BASE WITH ORARLOCKS (EXCEPT MODEL 12)
- ORCA (CSM) FABRIC HANDLES ON TUBES
- ORCA (CSM) FABRIC
- ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR
- SINGLE RUB RAIL
- 3 LAYER REINFORCED SEAMS
- HAND PUMP
- NON-SKID RUBBER FLOOR PANELS
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- BIMINI TOP COVER
- TUBE CHAPS
- CHOCK SET
- BOW STEP W/FOLD DOWN STAINLESS STEEL CLEAT
- FIBERGLASS LATERAL BASE WITH FOLD DOWN STAINLESS STEEL CLEAT

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.





VENTUS | VL
LIGHTWEIGHT FIBERGLASS TENDERS


Ventus -Latin for "air"- is our line of lightweight tenders. With their low weight to length ratio and balanced design, Ventus boats require very little horsepower to achieve astonishing performance and speeds. They sport a full V-shape hull that runs the entire length of the boat, providing exceptional tracking and stability. Ventus models are the only lightweight boats on the market with an additional air chamber built into the hull. This air chamber makes the Ventus line extremely safe and reliable, while providing a level non-skid floor to keep your cargo and passengers dry. Ventus boats make ideal tenders with plenty of room for carrying crew and provisions.



PICTURE A
VENTUS BOATS FEATURE AN ALUMINUM TRANSOM PROTECTOR, THREE DAVIT LIFTING POINTS, AND AN ADDITIONAL BUILT-IN AIR CHAMBER IN THE FLOOR FOR ADDED SAFETY


PICTURE B
OUR LIGHTWEIGHT DEEP "V" HULLS EXTEND THE FULL LENGTH OF THE BOAT, DISTINGUISHING US FROM THE COMPETITION BY PROVIDING BETTER TRACKING AND STABILITY

8 VL




OVERALL LENGTH	8' 6" / 2,60m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 4" / 0,72m
TUBE DIAMETER	16" / 0,40m
PERSON CAPACITY	4
WEIGHT	95lbs / 43kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm

9 VL




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	6' 9" / 2,06m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	106lbs / 48kg
RECOMMENDED HP	9,9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm

10 VL



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	123lbs / 56kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	15" / 38,1cm

12 VL



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	5' 10" / 1,77m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	156lbs / 71kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15" / 38,1cm

Alumina[®]

ALX

A tough legend

14 ALX



Aluminum hull sport console rib
Light weight yet rugged construction
Durable enough for rocky shores & coral reefs
Requires less horsepower

14 ALX



11 ALX

STANDARD FEATURES

GAS SPRINGS
SOLID DOUBLE RUB RAIL (12 TO 16)
SINGLE SOLID RUB RAIL (10 & 11)
NON-SKID RUBBER FLOOR PANELS
BOW EYE
DAVIT LIFTING POINTS
TOW RINGS
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL
CLOSED CELL FOAM UPHOLSTERY
FIBERGLASS CONSOLE
BENCH SEAT WITH STORAGE
BOW LOCKER WITH CUSHIONED SEATING
3 STAINLESS STEEL FOLD DOWN CLEATS
BOW STEP
STANDARD RIGGING
3 LAYER REINFORCED SEAMS
RUBBER KEEL PROTECTOR

OPTIONAL FEATURES

TUBE CHAPS
COVER
CHOCK SET
BIMINI TOP
TRANSOM LADDER
LIFTING HARNESS
TEAK FLOOR
STEREO SYSTEM
COMPASS
GPS
VHF RADIO
CONSOLE WITH LATERAL SEAT

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



16 ALX

ALUMINA | ALX ALUMINUM CONSOLE TENDERS

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet light-weight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.



12 ALX

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.



EVERY IAB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Alumina®

ALX


Aluminum console tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

10 ALX	11 ALX	12 ALX
OVERALL LENGTH 10' 6" / 3,19m	OVERALL LENGTH 11' 6" / 3,50m	OVERALL LENGTH 12' / 3,66m
OVERALL BEAM 5' 6" / 1,68m	OVERALL BEAM 5' 7" / 1,70m	OVERALL BEAM 6' 1" / 1,85m
INSIDE LENGTH 7' 6" / 2,30m	INSIDE LENGTH 8' 6" / 2,60m	INSIDE LENGTH 8' 10" / 2,70m
INSIDE BEAM 2' 8" / 0,81m	INSIDE BEAM 2' 8" / 0,81m	INSIDE BEAM 2' 11" / 0,89m
TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 18" / 0,46m
PERSON CAPACITY 5	PERSON CAPACITY 5	PERSON CAPACITY 6
WEIGHT 255lbs / 116kg	WEIGHT 284lbs / 129kg	WEIGHT 315lbs / 143kg
RECOMMENDED HP 10	RECOMMENDED HP 20	RECOMMENDED HP 25
MAXIMUM HP 20	MAXIMUM HP 30	MAXIMUM HP 30
SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm






ALUMINA 13 ALX | MAIN FEATURES AND OPTIONAL EQUIPMENT



PICTURE A
STANDARD BOW LOCKER FOR SEATING & STORAGE WITH A 6 GALLON PORTABLE FUEL TANK INSTALLED

PICTURE B
ALL AB CONSOLES INCLUDE HATCHES FOR EASY ACCESS TO ELECTRONICS AND GAUGES



13 ALX**14 ALX****15 ALX****16 ALX****18 ALX****NEW****OVERALL LENGTH** 13' / 3,96m**OVERALL BEAM** 6' 7" / 2,00m**INSIDE LENGTH** 9'10" / 3,00m**INSIDE BEAM** 3'3" / 0,99m**TUBE DIAMETER** 18" / 0,46m**PERSON CAPACITY** 7**WEIGHT** 341lbs / 155kg**RECOMMENDED HP** 30**MAXIMUM HP** 40**SHAFT LENGTH** 20" / 50,8cm**OVERALL LENGTH** 14' / 4,27m**OVERALL BEAM** 6' 7" / 2,00m**INSIDE LENGTH** 10' 10" / 3,30m**INSIDE BEAM** 3'3" / 0,99m**TUBE DIAMETER** 19" / 0,48m**PERSON CAPACITY** 8**WEIGHT** 367lbs / 167kg**RECOMMENDED HP** 40**MAXIMUM HP** 50**SHAFT LENGTH** 20" / 50,8cm**OVERALL LENGTH** 15' / 4,57m**OVERALL BEAM** 6' 9" / 2,06m**INSIDE LENGTH** 11' 8" / 3,55m**INSIDE BEAM** 3' 4" / 1,03m**TUBE DIAMETER** 19" / 0,48m**PERSON CAPACITY** 9**WEIGHT** 392lbs / 178kg**RECOMMENDED HP** 50**MAXIMUM HP** 60**SHAFT LENGTH** 20" / 50,8cm**OVERALL LENGTH** 16' / 4,88m**OVERALL BEAM** 7' / 2,14m**INSIDE LENGTH** 12' 8" / 3,85m**INSIDE BEAM** 3' 6" / 1,08m**TUBE DIAMETER** 20" / 0,51m**PERSON CAPACITY** 10**WEIGHT** 530lbs / 241 kg**RECOMMENDED HP** 50**MAXIMUM HP** 60**SHAFT LENGTH** 20" / 50,8cm**OVERALL LENGTH** 18' / 5,49m**OVERALL BEAM** 7' 10" / 2,40m**INSIDE LENGTH** 14' 8" / 4,47m**INSIDE BEAM** 4' 3" / 1,30m**TUBE DIAMETER** 21" / 0,53m**PERSON CAPACITY** 12**WEIGHT** 895lbs / 406kg**RECOMMENDED HP** 90**MAXIMUM HP** 115**SHAFT LENGTH** 20" / 50,8cm

13 ALX



B

Lamina[®]

AL


Amazingly tough
and light

10 AL



Aluminum hull open tender
Light weight yet rugged construction
Perfect for limited capacity davits
Ideal sailboat tender
Durable enough for rocky shores & coral reefs
Special rubber non skid material
Rubber keel protector on full length of keel

9.5 AL | SUPERLIGHT



12 AL | SUPERLIGHT

STANDARD FEATURES

SOLID DOUBLE RUB RAIL (12 TO 16)
SINGLE RUB RAIL (8 TO 10) &
SINGLE SOLID (11)
BOW EYE
ALUMINUM DAVIT LIFTING POINTS
ROWING SEAT [EXCEPT MODELS
12, 13, 14, 15 & 16]
OARLOCK BASE WITH OARLOCKS
[EXCEPT MODELS 11, 12, 13, 14,
15 & 16]
ORCA (CSM) FABRIC HANDLES
ON TUBES
MARINE GRADE ALUMINUM HULLS
ORCA (CSM) FABRIC
NON-SKID RUBBER FLOOR PANELS
SINGLE RUB RAIL MODELS
FROM 8 TO 11, DOUBLE RUB RAIL
FROM 12 TO 16
TOW RINGS
3 LAYER REINFORCED SEAMS
HAND PUMP
RUBBER KEEL PROTECTOR
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

BOW STEP WITH FOLD
DOWN CLEAT
FIBERGLASS CONSOLE
FIBERGLASS CONSOLE WITH
FORWARD SEAT
ONE PERSON JOCKEY SEAT
TWO PERSON JOCKEY SEAT
STAINLESS STEEL HELM UNIT
LATERAL FOLD DOWN CLEATS
BIMINI TOP
COVER
TUBE CHAPS
CHOCK SET
BENCH SEAT WITH STORAGE
BOW LOCKER/SEAT

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



10 AL | SUPERLIGHT



13 AL | SUPERLIGHT



LAMMINA | AL
ALUMINUM TENDERS

Lammina was the first line of marine-grade, aluminum-hull inflatables to reach the U.S. market. The Superlight models, available in lengths 9,5 feet and under, feature a 2,28mm (0.090") aluminum hull. From 10 to the 14 feet lengths, these have a 3,17mm (0.125") aluminum hull, while the 15* & 16* feet boats sports a 4.76mm (0.187"). The transom thickness on models 8 to 10 feet is 3,17mm (0.125") and from models 11 to 16 feet is 4,7mm (0.190"). These tough, lightweight and durable aluminum hulls will resist abrasions from rocky shores, coral and sandy beaches.

The innovative design of the Lammina series cuts through wakes and chop with far less pounding. The result is an exceptionally dry, stable and superior ride.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

(*) MODELS 2017






Lamina[®]

AL


Aluminum tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

8 AL	9 AL	9.5 AL
SUPERLIGHT	SUPERLIGHT	SUPERLIGHT
		
OVERALL LENGTH 8' 5" / 2,56m	OVERALL LENGTH 9' 1" / 2,76m	OVERALL LENGTH 9' 6" / 2,90
OVERALL BEAM 4' 9" / 1,45m	OVERALL BEAM 4' 9" / 1,45m	OVERALL BEAM 5' 6" / 1,68m
INSIDE LENGTH 5' 10" / 1,79m	INSIDE LENGTH 6' 3" / 1,90m	INSIDE LENGTH 6' 11" / 2,11m
INSIDE BEAM 2' / 0,62m	INSIDE BEAM 2' 2" / 0,66m	INSIDE BEAM 2' 6" / 0,76m
TUBE DIAMETER 16" / 0,40m	TUBE DIAMETER 16" / 0,40m	TUBE DIAMETER 17" / 0,43m
PERSON CAPACITY 4	PERSON CAPACITY 4	PERSON CAPACITY 5
WEIGHT 73lbs / 33kg*	WEIGHT 79lbs / 36kg*	WEIGHT 95lbs / 43kg*
RECOMMENDED HP 4	RECOMMENDED HP 8	RECOMMENDED HP 8
MAXIMUM HP 6	MAXIMUM HP 10	MAXIMUM HP 15
SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm

LAMMINA 12 AL MAIN FEATURES AND OPTIONAL EQUIPMENT








11 AL | SUPERLIGHT



PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR AND WELDED DAVIT LIFTING POINTS

PICTURE B
OPTIONAL BOW LOCKER FOR SEATING, STORAGE AND/OR TO FIT A 6 GALLON PORTABLE FUEL TANK (EXCEPT 9 AL)

10 AL		11 AL		12 AL		13 AL		14 AL	
SUPERLIGHT		SUPERLIGHT		SUPERLIGHT		SUPERLIGHT		SUPERLIGHT	
									
OVERALL LENGTH	10' 6" / 3,19m	OVERALL LENGTH	11' 6" / 3,50m	OVERALL LENGTH	12' / 3,66m	OVERALL LENGTH	13' / 3,96m	OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	5' 6" / 1,68m	OVERALL BEAM	5' 7" / 1,70m	OVERALL BEAM	6' 1" / 1,85m	OVERALL BEAM	6' 7" / 2,00m	OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	7' 6" / 2,30m	INSIDE LENGTH	8' 6" / 2,60m	INSIDE LENGTH	8' 10" / 2,70m	INSIDE LENGTH	9' 10" / 3,00m	INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	2' 8" / 0,81m	INSIDE BEAM	2' 8" / 0,81m	INSIDE BEAM	2' 11" / 0,89m	INSIDE BEAM	3' 3" / 0,99m	INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	17" / 0,43m	TUBE DIAMETER	17" / 0,43m	TUBE DIAMETER	18" / 0,46m	TUBE DIAMETER	18" / 0,46m	TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	5	PERSON CAPACITY	6	PERSON CAPACITY	6	PERSON CAPACITY	7	PERSON CAPACITY	8
WEIGHT	117lbs / 53kg*	WEIGHT	172lbs / 78kg*	WEIGHT	198lbs / 90kg*	WEIGHT	220lbs / 100kg*	WEIGHT	246lbs / 112kg*
RECOMMENDED HP	10	RECOMMENDED HP	20	RECOMMENDED HP	25	RECOMMENDED HP	30	RECOMMENDED HP	40
MAXIMUM HP	20	MAXIMUM HP	30	MAXIMUM HP	30	MAXIMUM HP	40	MAXIMUM HP	50
SHAFT LENGTH	15" / 38,1cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm

AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT



1. CONSOLE WITH FORWARD SEAT

H 42" / W 18" / D 32" - WT 48lbs
H 1.08m / W 0.45m / D 0.82m - WT 22Kg

2. BENCH SEAT WITH STORAGE

H 17" / W 30" / D 16" - WT 39lbs
H 0.43m / W 0.77m / D 0.40m - WT 18Kg
FITS STANDARD 6 GL FUEL TANK

3. CONSOLE WITHOUT FORWARD SEAT

H 38" / W 18" / D 16" - WT 33lbs
H 0.96m / W 0.45m / D 0.40m - WT 15Kg

4. TWO PERSON JOCKEY SEAT

H 34" / W 17" / D 48" - WT 35lbs
H 0.86m / W 0.42m / D 1.23m - WT 16Kg

5. FIBERGLASS MODULAR CONSOLE SMALL

H 25.62" / W 16.43" / D 18.43" - WT 24lbs
H 73 cm / W 42 cm / D 47 cm - WT 11Kg



6. BOW CLEAT

H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg

7. LATERAL CLEAT

H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg

(*) WEIGHT WITHOUT BOW LOCKER
ADD 5KG / 11 LBS FOR MODELS 9-11
ADD 7KG / 15 LBS FOR MODELS 12-16

15 AL		16 AL	
SUPERLIGHT		SUPERLIGHT	
			
OVERALL LENGTH	15' / 4,57m	OVERALL LENGTH	16' / 4,88m
OVERALL BEAM	6' 9" / 2,06m	OVERALL BEAM	7' / 2,14m
INSIDE LENGTH	11' 8" / 3,55m	INSIDE LENGTH	12' 8" / 3,85m
INSIDE BEAM	3' 4" / 1,03m	INSIDE BEAM	3' 6" / 1,08m
TUBE DIAMETER	19" / 0,48m	TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	9	PERSON CAPACITY	10
WEIGHT	326lbs / 148kg*	WEIGHT	409lbs / 186kg*
RECOMMENDED HP	50	RECOMMENDED HP	50
MAXIMUM HP	60	MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm



Lamina[®]

UL

Extremely light
in weight and price

Aluminum hull open tender
Ultra light and spacious
Ideal sailboat tender
Special rubber non-skid material
Exceptionally reasonable pricing

LAMMINA 9 UL | MAIN FEATURES



STANDARD FEATURES

MARINE GRADE ALUMINUM HULLS
NON-SKID RUBBER FLOOR PANELS
ORCA (CSM) FABRIC
BOW EYE
ALUMINUM DAVIT LIFTING POINTS
SINGLE RUB RAIL
ORCA (CSM) FABRIC HANDLES ON TUBES
ROWING SEAT
OARLOCK BASE WITH OARLOCKS
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL
3 LAYER REINFORCED SEAMS

OPTIONAL FEATURES

COVER
TUBE CHAPS
CHOCK SET

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com




EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED
WARRANTY. SEE YOUR DEALER
FOR DETAILS.



LAMMINA | UL
ULTRA LIGHT ALUMINUM TENDERS

AB's commitment to innovation remains at the forefront in the development and design of "Ultra" Light Aluminum Hull RIBs. Using the same high quality and Orca (CSM) five layer coated fabric tubes, we offer a less expensive version of our already popular AL series. The 3.17mm/0.125" thick marine grade aluminum hull and non-skid floor of the unpainted 7.5, 8, 9 and 10' models combine durability with exceptionally reasonable pricing.

The ULs are the lightest and more spacious light series boats in the market. While the unpainted hull provides for minimum maintenance, the rubber non-skid floor adds comfort and safety. The UL series are the preferred choice among sail boaters around the world.



PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR AND THREE WELDED DAVIT LIFTING POINTS

7.5 UL	NEW	8 UL	
OVERALL LENGTH	7' 10" / 2,39m	OVERALL LENGTH	8' 5" / 2,56m
OVERALL BEAM	4' 11" / 1,50m	OVERALL BEAM	4' 11" / 1,50m
INSIDE LENGTH	5' 5" / 1,65m	INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 2" / 0,66m	INSIDE BEAM	2' 2" / 0,66m
TUBE DIAMETER	16" / 0,40m	TUBE DIAMETER	16" / 0,40m
PERSON CAPACITY	3	PERSON CAPACITY	4
WEIGHT	66lbs / 30kg	WEIGHT	68lbs / 31kg
RECOMMENDED HP	3	RECOMMENDED HP	4
MAXIMUM HP	4	MAXIMUM HP	5
SHAFT LENGTH	15" / 38,1cm	SHAFT LENGTH	15" / 38,1cm

9 UL	10 UL		
OVERALL LENGTH	9' 1" / 2,76m	OVERALL LENGTH	10' / 3,05m
OVERALL BEAM	4' 11" / 1,50m	OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	6' 3" / 1,90m	INSIDE LENGTH	7' 2" / 2,18m
INSIDE BEAM	2' 3" / 0,70m	INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	16" / 0,40m	TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4	PERSON CAPACITY	5
WEIGHT	75lbs / 34kg	WEIGHT	95lbs / 43kg
RECOMMENDED HP	6	RECOMMENDED HP	8
MAXIMUM HP	8	MAXIMUM HP	9.9
SHAFT LENGTH	15" / 38,1cm	SHAFT LENGTH	15" / 38,1cm


Ab Rider®

Exhilarating fun

The ultimate water experience
Outstanding performance
Lightweight and fuel efficient
A thrilling and versatile water craft



AB RIDER | MAIN FEATURES



STANDARD FEATURES

STAINLESS STEEL BOW EYE
UNDER SEAT STORAGE COMPARTMENT
LARGE ANCHOR LOCKER
4 STAINLESS STEEL DAVIT LIFTING POINTS
INTEGRATED JOCKEY SEAT
MAINTENANCE KIT
SINGLE RUB RAIL
CLOSED CELL FOAM UPHOLSTERY
STAINLESS STEEL TOW RINGS
3 LAYER REINFORCED SEAMS
STANDARD RIGGING
ORCA (CSM) FABRIC
HAND PUMP
OWNER'S MANUAL

OPTIONAL FEATURES

COVER

PICTURE A

THE AB RIDER OFFERS AMPLE STORAGE BENEATH THE BOW LOCKER TO HOLD THE FUEL TANK, ANCHOR AND OTHER GOODS.

PICTURE B


THERE IS AMPLE STORAGE SPACE BENEATH THE SEATING AREA.

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



Ab Rider



OVERALL LENGTH	10' 6" / 3,20m
OVERALL BEAM	5' 9" / 1,76m
INSIDE LENGTH	7' 9" / 2,37m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	273lbs / 124kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm



AB RIDER JOCKEY STYLE RIDER

The AB Rider delivers the ultimate water experience. Its unsurpassed design and outstanding performance will give you many hours of safe and exhilarating fun.

This lightweight, fuel efficient and exciting 10' inflatable has ample seating for two adults and plenty of storage to keep your cargo protected and dry at all times. It is still a tender to your mother ship and can easily be lifted by its four davit lifting points for storage.

The AB Rider was made with the same safety features found on our inflatable boats such as three air chambers and tough Orca(CSM) material. The AB Rider was designed for those looking for a new type of thrilling and versatile water craft.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



SPECIFICATIONS

Nautilus

Oceanus



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



		11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX WIDEBODY BOWRIDER	19 DLX WIDEBODY BOWRIDER	19 DLX-I/O WIDEBODY BOWRIDER***	11 VST	12 VST
LENGTH											
OVERALL	ft/in	11'	12'	13'	14'	15'	17'	19'	19'	11'	12'
	m	3.35	3.66	3.96	4.27	4.57	5.18	5.79	5.79	3.35	3.66
INSIDE	ft/in	8'	9' 2"	9' 9"	10' 10"	11' 6"	13' 1"	15' 4"	15' 4"	8' 1"	9' 2"
	m	2.44	2.79	2.97	3.30	3.50	4.00	4.67	4.67	2.47	2.79
BEAM											
OVERALL	ft/in	5' 10"	6'	6' 5"	6' 6"	6' 9"	8' 1"	8' 4"	8' 4"	5' 8"	6' 1"
	m	1.78	1.82	1.95	1.98	2.05	2.46	2.54	2.54	1.73	1.86
INSIDE	ft/in	2' 7"	2' 10"	3' 1"	3' 1"	3' 2"	4' 5"	4' 5"	4' 5"	2' 9"	2' 10"
	m	0.79	0.86	0.94	0.94	0.97	1.35	1.35	1.35	0.84	0.86
AREA											
INTERNAL AREA	sq.ft.	20.75	25.83	30.05	33.39	36.54	58.13	67.86	67.86	22.33	25.83
	m2	1.93	2.40	2.79	3.10	3.40	5.40	6.30	6.30	2.07	2.40
MAX TUBE DIAMETER											
	ft/in	17"	18"	18"	19"	19"	20"	22"	22"	17"	18"
	m	0.43	0.46	0.46	0.48	0.48	0.51	0.56	0.56	0.43	0.46
NUMBER OF CHAMBERS											
		3	3	3	5	5	5	5	5	3	3
CAPACITY											
PERSONS		4	5	5	6	6	10	12	10	5	6
PAYLOAD	lbs	1258	1501	1593	2010	2222	2645	3224	3191	1318	1699
	kg	571	681	723	912	1008	1200	1463	1448	598	771
WEIGHT											
	lbs	440	515	579	711	739	1181	1639	1551	370	405
	kg	200	234	263	323	336	537	745	705	168	184
ENGINE											
RECOMMENDED	hp	30	40	40	50	60	90	115	150	30	40
	kW	22.4	29.8	29.8	37.3	44.8	67.1	85.8	111.9	22.4	29.8
MAX	hp	40	50	60	70	75	115	150	220	40	50
	kW	29.8	37.3	44.8	52.2	56.0	85.8	111.9	164.1	29.8	37.3
SHAFT LENGTH	in	20	20	20	20	20	20	25		20	20
	cm	50.8	50.8	50.8	50.8	50.8	50.8	63.5		50.8	50.8
MAX WEIGHT	lbs	242	242	255	257	330	484	491	609	242	242
	kg	110	110	116	117	150	220	223	277	110	110
BUILT-IN TANKS											
GAS	gal	11	13	15	21	27	33	67	67	10	10
	lt	42	49	57	78	102	125	254	254	38	38
WATER	gal				9	12	10	20	20		
	lt				34	45	38	76	76		
STOWED DIMENSIONS											
(LENGTH x WIDTH x HEIGHT)	inch	126x47x37	132x51x28	148x50x37	157x59x43	169x59x43	192x54x47	216x54x47	216x54x47	126x47x26	132x49x28
	cm	320x120x95	335x130x70	375x127x95	400x150x110	430x150x110	490x137x130	550x137x130	550x137x130	320x120x65	335x125x70
RDC DESIGN CATEGORY											
		C	C	C	C	C	C	C	C	C	C

(*) 20" SHAFT ON TWIN ENGINES

(**) 25" SHAFT ON TWIN ENGINES

(***) AVAILABLE IN GAS OR DIESEL I/O AND GAS JET


(****) AVAILABLE FOR SHORT & LONG SHAFT ENGINES



19 DLX



28 VST



Mares

Navigo



13 VST	14 VST	15 VST	17 VST	19 VST	24 VST WIDEBODY BOWRIDER*	28 VST**	10 VSX	12 VSX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS
13'	14'	15'	17'	19'	24'	27'4"	10' 6"	12'	8' 6"	9' 6"	10' 6"	12'	13'	14'
3.96	4.27	4.57	5.18	5.79	7.31	8.33	3.19	3.66	2.60	2.90	3.19	3.66	3.96	4.27
9' 9"	10' 10"	11' 6"	13' 1"	14' 11"	19' 3"	22' 11"	7' 7"	8' 9"	5' 10"	6' 9"	7' 7"	8' 9"	9' 9"	10' 10"
2.97	3.30	3.50	3.99	4.55	5.87	6.99	2.31	2.67	1.79	2.06	2.31	2.67	2.97	3.30
6' 4"	6' 5"	6' 6"	8' 1"	8' 4"	9' 3"	10' 1"	5' 7"	6'	5' 4"	5' 7"	5' 7"	6'	6' 4"	6' 4"
1.93	1.96	1.99	2.46	2.53	2.82	3.07	1.72	1.82	1.64	1.72	1.72	1.82	1.94	1.94
3' 1"	3' 1"	3' 2"	4' 2"	4' 4"	5' 4"	6' 4"	2' 8"	2' 9"	2' 4"	2' 8"	2' 8"	2' 9"	3' 1"	3' 1"
0.94	0.94	0.97	1.27	1.32	1.64	1.93	0.81	0.84	0.72	0.81	0.81	0.84	0.94	0.94
30.05	33.39	36.54	58.13	64.65	103.62	145.21	20.14	24.14	13.87	17.96	20.14	24.14	30.05	33.39
2.79	3.10	3.40	5.40	6.01	9.63	13.49	1.87	2.24	1.29	1.67	1.87	2.24	2.79	3.10
18"	19"	19"	20"	22"	24"	24"	17"	18"	16"	17"	17"	18"	18"	19"
0.46	0.48	0.48	0.51	0.56	0.61	0.61	0.43	0.46	0.40	0.43	0.43	0.46	0.46	0.48
3	5	5	5	5	6	6	3	3	3+1	3+1	3+1	3+1	3+1	4+1
7	8	9	12	15	20	25	4	5	4	4	5	6	7	8
1759	2184	2277	2942	3901	4525	5034	1408	1895	1087	1358	1470	1935	1942	2347
798	991	1033	1335	1770	2053	2284	639	860	493	616	667	878	881	1065
477	510	605	1104	1252	2213	2853	262	337	125	143	169	202	293	348
217	232	275	502	569	1006	1297	119	153	57	65	77	92	133	158
40	50	60	90	115	150	250	25	30	8	9.9	15	20	30	40
29.8	37.3	44.8	67.1	85.8	111.9	186.5	18.7	22.4	6.0	7.4	11.2	14.9	22.4	29.8
60	70	75	115	150	250	450	30	40	10	15	25	30	40	50
44.8	52.2	56.0	85.8	111.9	186.5	335.7	22.4	29.8	7.5	11.2	18.7	22.4	29.8	37.3
20	20	20	20	25	25	30	15-20	20	15	15	15	15 - 20	20	20
50.8	50.8	50.8	50.8	63.5	63.5	76.2	38.1-50.8	50.8	38.1	38.1	38.1	38.1 - 50.8	50.8	50.8
255	257	330	484	491	814	1241	176	176	106	121	176	183	242	253
116	117	150	220	223	370	564	80	80	48	55	80	83	110	115
14	14	25	33	44	65	189								
53	53	95	125	167	246	715								
			10	11	12	12								
			38	42	45	45								
146x51x26	156x49x28	169x59x29	200x74x46	213x75x32	276x87x35	323x113x47	118x43x18	136x45x18	92x43x18	106x43x18	118x43x18	136x45x18	144x49x26	156x49x28
370x130x70	395x125x70	430x150x73	508x188x117	540x190x80	700x220x90	820x288x120	300x110x45	345x115x45	235x110x45	270x110x45	300x110x45	345x115x45	365x125x65	395x125x70
C	C	C	C	C	B	B	C	C	C	C	C	C	C	C



10 VSX

SPECIFICATIONS

Ventus

Alumina



		8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
--	--	------	------	-------	-------	--------	--------	--------	--------	--------	--------	--------	--------

LENGTH			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
OVERALL	ft/in		8' 6"	9' 6"	10' 6"	12'	10' 6"	11' 6"	12'	13'	14'	15'	16'	18'
	m		2.60	2.90	3.19	3.66	3.19	3.50	3.66	3.96	4.27	4.57	4.88	5.49
INSIDE	ft/in		5' 10"	6' 9"	7' 7"	8' 9"	7' 6"	8' 6"	8' 10"	9' 10"	10' 10"	11' 8"	12' 8"	14' 8"
	m		1.79	2.06	2.31	2.67	2.30	2.60	2.70	3.00	3.30	3.55	3.85	4.47
BEAM			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
OVERALL	ft/in		5' 6"	5' 7"	5' 7"	5' 10"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"	6' 9"	7'	7' 10"
	m		1.68	1.72	1.72	1.77	1.68	1.70	1.85	2.00	2.00	2.06	2.14	2.40
INSIDE	ft/in		2' 4"	2' 8"	2' 8"	2' 9"	2' 8"	2' 8"	2' 11"	3' 3"	3' 3"	3' 4"	3' 6"	4' 3"
	m		0.72	0.81	0.81	0.84	0.81	0.81	0.89	0.99	0.99	1.03	1.08	1.30
AREA			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
INTERNAL AREA	sq.ft.		13.87	17.96	20.14	24.14	20.05	22.67	25.87	31.97	35.17	39.36	44.76	62.53
	m2		1.29	1.67	1.87	2.24	1.86	2.11	2.40	2.97	3.27	3.66	4.16	5.81
MAX TUBE DIAMETER			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
	ft/in		16"	17"	17"	18"	17"	17"	18"	18"	19"	19"	20"	21"
	m		0.40	0.43	0.43	0.46	0.43	0.43	0.46	0.46	0.48	0.48	0.51	0.53
NUMBER OF CHAMBERS			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
			3+1	3+1	3+1	3+1	3	3	3	3	4	5	5	5
CAPACITY			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
PERSONS			4	4	5	6	5	5	6	7	8	9	10	12
PAYLOAD	lbs		1115	1393	1514	1975	1441	1576	1920	1997	2391	2557	2488	3047
	kg		506	632	687	896	654	715	871	906	1085	1160	1129	1385
WEIGHT			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
	lbs		95	106	123	156	255	284	315	341	367	392	530	895
	kg		43	48	56	71	116	129	143	155	167	178	241	406
ENGINE			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
RECOMMENDED	hp		8	9.9	15	20	10	20	25	30	40	50	50	90
	kW		6.0	7.4	11.2	14.9	7.5	14.9	18.7	22.4	29.8	37.3	37.3	67.1
MAX	hp		10	15	25	30	20	30	30	40	50	60	60	115
	kW		7.5	11.2	18.7	22.4	14.9	22.4	22.4	29.8	37.3	44.8	44.8	85.8
SHAFT LENGTH	in		15	15	15	15	20	20	20	20	20	20	20	20"
	cm		38.1	38.1	38.1	38.1	50.8	50.8	50.8	50.8	50.8	50.8	50.8	50.8
MAX WEIGHT	lbs		106	121	176	183	132	132	183	183	242	242	253	484
	kg		48	55	80	83	60	60	83	83	110	110	115	220
BUILT-IN TANKS			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
GAS	gal													32
	lt													120
WATER	gal													
	lt													
STOWED DIMENSIONS			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
(LENGTH x WIDTH x HEIGHT)	inch		93x43x18	106x43x18	118x43x18	136x45x18	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32	167x47x32	182x55x32	
	cm		235x110x45	270x110x45	300x110x45	345x115x45	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82	425x120x82	463x140x82	
RDC DESIGN CATEGORY			8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
			C	C	C	C	C	C	C	C	C	C	C	C

(*) 20" SHAFT ON TWIN ENGINES

(**) 25" SHAFT ON TWIN ENGINES

(***) AVAILABLE IN GAS OR DIESEL I/O AND GAS JET

(****) AVAILABLE FOR SHORT & LONG SHAFT ENGINES



12 VL



10 ALX | SUPERLIGHT

Lamina AL



Lamina UL



Ab Rider

8 AL SUPERLIGHT	9 AL SUPERLIGHT	9.5 AL SUPERLIGHT	10 AL SUPERLIGHT	11 AL SUPERLIGHT	12 AL SUPERLIGHT	13 AL SUPERLIGHT	14 AL SUPERLIGHT	15 AL SUPERLIGHT	16 AL SUPERLIGHT	7.5 UL ULTRALIGHT	8 UL ULTRALIGHT	9 UL ULTRALIGHT	10 UL ULTRALIGHT	Ab Rider
8' 5"	9' 1"	9' 6"	10' 6"	11' 6"	12'	13'	14'	15'	16'	7' 10"	8' 5"	9' 1"	10'	10' 6"
2.56	2.76	2.90	3.19	3.50	3.66	3.96	4.27	4.57	4.88	2.39	2.56	2.76	3.05	3.20
5' 10"	6' 3"	6' 11"	7' 6"	8' 6"	8' 10"	9' 10"	10' 10"	11' 8"	12' 8"	5' 5"	5' 10"	6' 3"	7' 2"	7' 9"
1.79	1.90	2.11	2.30	2.60	2.70	3.00	3.30	3.55	3.85	1.65	1.79	1.90	2.18	2.37
4' 9"	4' 9"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"	6' 9"	7'	4' 11"	4' 11"	4' 11"	5' 6"	5' 9"
1.45	1.45	1.68	1.68	1.70	1.85	2.00	2.00	2.06	2.14	1.50	1.50	1.50	1.68	1.76
2"	2' 2"	2' 6"	2' 8"	2' 8"	2' 11"	3' 3"	3' 3"	3' 4"	3' 6"	2' 2"	2' 2"	2' 3"	2' 8"	2' 10"
0.62	0.66	0.76	0.81	0.81	0.89	0.99	0.99	1.03	1.08	0.66	0.66	0.70	0.81	0.86
11.95	13.50	17.26	20.05	22.67	25.87	31.97	35.17	39.36	44.76	11.72	12.72	14.32	19.01	21.94
1.11	1.25	1.60	1.86	2.11	2.40	2.97	3.27	3.66	4.16	1.09	1.18	1.33	1.77	2.04
16"	16"	17"	17"	17"	18"	18"	19"	19"	20"	16"	16"	16"	17"	17"
0.40	0.40	0.43	0.43	0.43	0.46	0.46	0.48	0.48	0.51	0.40	0.40	0.40	0.43	0.43
3	3	3	3	3	3	3	4	5	5	2	2	2	3	3
4	4	5	5	6	6	7	8	9	10	3	4	4	5	4
1042	1089	1404	1519	1644	2032	2092	2391	2607	2709	815	882	1036	1300	1344
473	494	637	689	746	922	949	1085	1183	1229	370	400	470	590	610
73	79	95	117	172	198	220	246	326	409	66	68	75	95	273
33	36	43	53	78	90	100	112	148	186	30	31	34	43	124
4	8	8	10	20	25	30	40	50	50	3	4	6	8	25
3.0	6.0	6.0	7.5	14.9	18.7	22.4	29.8	39.3	39.3	2.2	3.0	4.5	6.0	18.7
6	10	15	20	30	30	40	50	60	60	4	5	8	9.9	30
4.5	7.5	11.2	14.9	22.4	22.4	29.8	37.3	44.8	44.8	2.9	3.8	6.0	7.4	22.4
15	15	15	15	20	20	20	20	20	20	15	15	15	15	20
38.1	38.1	38.1	38.1	50.8	50.8	50.8	50.8	50.8	50.8	38.1	38.1	38.1	38.1	50.8
62	106	121	132	132	183	183	242	242	253	62	62	106	106	183
28	48	55	60	60	83	83	110	110	115	28	28	48	48	83
91x44x19	96x44x19	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32	167x47x32	182x55x32	86x41x18	91x44x19	96x44x19	119x44x19	125x43x37
231x113x47	245x113x47	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82	425x120x82	463x140x82	218x104x46	231x113x47	245x113x47	302x113x47	315x110x94
C	C	C	C	C	C	C	C	C	C	C	C	C	C	C



PERSONS & LOAD CAPACITIES WILL VARY WHEN BOAT IS RIGGED WITH NON STANDARD ACCESSORIES. THE MAXIMUM PAYLOAD & PERSON CAPACITY HAS BEEN CALCULATED ACCORDING TO ISO & ABYC STANDARDS. OPERATING AT OR NEAR MAXIMUM CAPACITIES IS ONLY ADVISED IN CALM WATER AND AT REDUCED SPEEDS. ALL DIMENSIONS IN ACCORDANCE WITH ISO 6185 AND ISO 8666. APPROXIMATE WEIGHT HAS A TOLERANCE OF +/- 5% AND INCLUDES ALL STANDARD ACCESSORIES EXCEPT ON MODELS VS,VL & AL WHICH IS FOR BARE BOAT ONLY. ADD APPROXIMATELY 45LBS TO CONSOLE BOATS FOR ACCESSORIES LIKE: BATTERY, FUEL/WATER FILTER, BILGE PUMP, STEERING SYSTEM & FIRE EXTINGUISHER. ALL DIMENSIONS ARE + OR -3%. SOME MODELS SHOWN MAY FEATURE NON-STANDARD EQUIPMENT. SEE STANDARD AND OPTIONAL EQUIPMENT LISTINGS FOR FULL DETAILS.

THE PHOTOGRAPHS IN THIS BROCHURE WERE TAKEN UNDER CONTROLLED CONDITIONS, USING PROFESSIONAL OPERATORS. YOU SHOULD NEVER ATTEMPT ANY SPEEDS OR MANEUVERS WHICH ARE BEYOND YOUR CAPABILITIES, NOR WHICH ARE POTENTIALLY HAZARDOUS. WE STRONGLY SUGGEST USING RECOMMENDED HP'S ON THE BOAT. YOU SHOULD CONSULT YOUR LOCAL DEALER REGARDING SAFETY AND WEIGHT ISSUES BEFORE PUTTING MAXIMUM HP'S ON YOUR BOAT. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, ALTHOUGH ALL DETAILS SHOWN ARE ACCURATE AT THE TIME OF GOING TO PRESS. FOLLOWING A PROGRAM OF CONTINUOUS IMPROVEMENT, AB RESERVES THE RIGHT TO DELETE OR MODIFY ANY OF THE PRODUCTS IN THIS BROCHURE WITHOUT NOTICE.



FEATURES

- STANDARD FEATURES ●
 OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Nautilus

Oceanus



	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX WIDEBODY BOWRIDER	19 DLX WIDEBODY BOWRIDER	19 DLX-I/O WIDEBODY BOWRIDER***	11 VST	12 VST
BENCH SEAT WITH STORAGE										
BIMINI	○	○	○	○	○	○	○	○	○	○
BOW EYE	●	●	●	●	●	●	●	●	●	●
BOW HATCH CUSHION	●	●	●	●	●	●	●	●	●	●
BOW RAILS - STAINLESS STEEL	●	●	●	●	●	●	●	●		
BOW SEAT WITH STORAGE	●	●	●	●	●	●	●	●	●	●
BOW SEAT WITH STORAGE & PORTABLE 6 GALLON FUEL TANK										
BOW SEATING W/UPHOLSTERED BACK SUPPORT	●	●	●	●	●	●	●	●		
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	●	●	●	●	●	●	●	●	●	●
BOWRIDER SEATING STYLE						●	●	●		
CHOCK SET	○	○	○	○	○	○	○	○	○	○
CLEATS (FOLD DOWN) - STAINLESS STEEL	3	3	3	3	3	3	3	3	3	3
CONSOLE (LOW PROFILE)										
CONSOLE GRAB HANDLE - STAINLESS STEEL	●	●	●	●	●	●	●	●		
CONSOLE W/ FORWARD SEAT, WINDSHIELD & SS GRAB RAIL										
CONSOLE W/WINDSHIELD & SS GRAB RAIL WITHOUT FWD SEAT									●	●
CONSOLE W/ FWD & LATERAL SEAT, WINDSHIELD & SS GRAB RAIL										
COOLER WITH DRAIN (BUILT-IN)	1	1	1	2	2	4	4	4		
DAVIT LIFTING RINGS	3	3	3	3	3	3	3	3	4	4
FRESH WATER TANK W/ SHOWER SYSTEM				●	●	●	●	●		
FUEL TANK (UNDERDECK) - ALUMINUM	●	●	●	●	●	●	●	●	●	●
GRAB HANDLES ON TUBES - STAINLESS STEEL									●	●
HAND PUMP/ REPAIR KIT	●	●	●	●	●	●	●	●	●	●
HELM SEAT - STAINLESS STEEL										
JOCKEY CONSOLE (2 PERSON)										
LEANING BOLSTER							●			
LIGHT ARCH	○	○	○	○	○	○	○	○	○	○
LED NAVIGATION AND LED ANCHOR LIGHTS	●	●	●	●	●	●	●	●	●	●
NON SKID - RUBBER PANELS										
NON SKID DECK - DIAMOND SHAPE	●	●	●	●	●	●	●	●	●	●
GAS SPRINGS	●	●	●	●	●	●	●	●	●	●
OARS & OARLOCKS										
PADDLES										
SEAT (REMOVABLE)										
SELF BAILING DECK							●	●		
SIDE STEP W/STAINLESS STEEL FOLD DOWN CLEAT										
SUNBATHING BED						●	●	●		
TIE DOWN EYES	●	●	●	●	●	●	●	●		
TOWING RINGS - BOW										
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2	2
TRANSOM LADDER				○	○	○	○	○		
T - TOP										
TUBE CHAPS										
HYDRAULIC STEERING SYSTEM				●	●	●	●	●		
MECHANICAL STEERING SYSTEM	●	●	●						●	●

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



19 DLX




17 VST



13 VST **14 VST** **15 VST** **17 VST** **19 VST** **24 VST WIDEBODY BOWRIDER*** **28 VST****

Mares

Navigo



13 VST	14 VST	15 VST	17 VST	19 VST	24 VST WIDEBODY BOWRIDER*	28 VST**	10 VSX	12 VSX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS
○	○	○	○	○	○	○					○	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	○	○	○	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●			○	○	○	○	○	○
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
3	3	3	3	3	3	3						○	○	○
							●	●						
●	●	●	●	●	●	●						○	○	○
○	○	○	○								○	○	○	○
4	4	4	4	4			4	4	4	4	4	4	4	4
●	●	●	○	●	●	●								
●	●	●	○	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●					○	○	○	○
				●	●	●					○	○	○	○
○	○	○	○	○	○	○	●	●						
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
									●	●	●			
									●	●	●	○	○	○
			○						○	○	○	○	○	○
2	2	2	2	2	2	2	●	●	●	●	●	2	2	2
		○	○	○	○	○								
				○	○	○								
			●	●	●	●			○	○	○	○		
●	●	●					●	●						



10 VSX

FEATURES

- STANDARD FEATURES ●
 OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Ventus

Alumina



	8 VL	9 VL	10 VL	12 VL	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
BENCH SEAT WITH STORAGE					●	●	●	●	●	●	●	●
BIMINI					○	○	○	○	○	○	○	○
BOW EYE	●	●	●	●	●	●	●	●	●	●	●	●
BOW HATCH CUSHION					●	●	●	●	●	●	●	●
BOW RAILS - STAINLESS STEEL												
BOW SEAT WITH STORAGE					●	●	●	●	●	●	●	●
BOW SEAT WITH STORAGE & PORTABLE 6 GALLON FUEL TANK					●	●	●	●	●	●	●	
BOW SEATING W/UPHOLSTERED BACK SUPPORT												
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	○	○	○	○	●	●	●	●	●	●	●	●
BOWRIDER SEATING STYLE												○
CHOCK SET	○	○	○	○	○	○	○	○	○	○	○	○
CLEATS (FOLD DOWN) - STAINLESS STEEL					○	3	3	3	3	3	3	3
CONSOLE (LOW PROFILE)												
CONSOLE GRAB HANDLE - STAINLESS STEEL					●							
CONSOLE W/FORWARD SEAT, WINDSHIELD & SS GRAB RAIL								●	●	●	●	●
CONSOLE W/WINDSHIELD & SS GRAB RAIL WITHOUT FWD SEAT						●	●					
CONSOLE W/FWD & LATERAL SEAT, WINDSHIELD & SS GRAB RAIL								○	○	○	○	○
COOLER WITH DRAIN (BUILT-IN)												
DAVIT LIFTING RINGS	3	3	3	3	4	4	4	4	4	4	4	4
FRESH WATER TANK W/SHOWER SYSTEM												
FUEL TANK (UNDERDECK) - ALUMINUM												●
GRAB HANDLES ON TUBES - STAINLESS STEEL												
HAND PUMP / REPAIR KIT	●	●	●	●	●	●	●	●	●	●	●	●
HELM SEAT - STAINLESS STEEL												
JOCKEY CONSOLE (2 PERSON)												○
LEANING BOLSTER												○
LIGHT ARCH												
LED NAVIGATION AND LED ANCHOR LIGHTS					●	●	●	●	●	●	●	●
NON SKID - RUBBER PANELS	●	●	●	●	●	●	●	●	●	●	●	●
NON SKID DECK - DIAMOND SHAPE												
GAS SPRINGS					●	●	●	●	●	●	●	●
OARS & OARLOCKS	●	●	●									
PADDLES				○								
SEAT (REMOVABLE)	●	●	●	●								
SELF BAILING DECK												
SIDE STEP W/STAINLESS STEEL FOLD DOWN CLEAT	○	○	○	○	○	●	●	●	●	●	●	●
SUNBATHING BED												
TIE DOWN EYES						●	●	●	●	●	●	●
TOWING RINGS - BOW	●	●	●		●							
TOWING RINGS - STERN					2	2	2	2	2	2	2	2
TRANSOM LADDER												
T - TOP												
TUBE CHAPS	○	○	○	○								
HYDRAULIC STEERING SYSTEM												●
MECHANICAL STEERING SYSTEM					●	●	●	●	●	●	●	●

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



12 VL



15 ALX | SUPERLIGHT



Lamina AL



Lamina UL



Ab Rider

8 AL SUPERLIGHT	9 AL SUPERLIGHT	9.5 AL SUPERLIGHT	10 AL SUPERLIGHT	11 AL SUPERLIGHT	12 AL SUPERLIGHT	13 AL SUPERLIGHT	14 AL SUPERLIGHT	15 AL SUPERLIGHT	16 AL SUPERLIGHT	7.5 UL ULTRALIGHT	8 UL ULTRALIGHT	9 UL ULTRALIGHT	10 UL ULTRALIGHT	Ab Rider
			○	○	○	○	○	○	○					
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	○	○	○	○	○	○	○	○	○					
		○	○	○	○	○	○	○	○					
○	○	○	○	○	○	○	○	○	○	○	○	○	○	
○	○	○	○	○	○	○	○	○	○					
			○	○	○	○	○	○	○					
			○	○	○	○	○	○	○					
			○	○	○	○	○	○	○					
3	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3	3	3	3	4
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
			○	○	○	○	○	○	○					
			○	○	○	○	○	○	○					
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●		○	○	○	○	○	○	○	○	○	
●	●	●	●	●	●	●	●	●	●					●
○	○	○	○	○	○	○	○	○	○					
●	●	●	●	●	●	●	●	●	●					
		2	2	2	2	2	2	2	2					2
○	○	○	○	○	○	○	○	○	○	○	○	○	○	
														●



BOAT SMART FROM THE START!

TAKE A BOATING EDUCATION COURSE, AND GET A VESSEL SAFETY CHECK FOR YOUR BOAT.
 FOR MORE INFORMATION CONTACT: U.S. COAST GUARD AUXILIARY: (877) 875 6296, (800) 368 5647 OR WWW.CGAUX.ORG / U.S. POWER SQUADRONS: (888) 367 8777 OR WWW.USPS.ORG

REMEMBER: BE SURE THERE IS A PERSONAL FLOTATION DEVICE (PFD) FOR YOU AND EACH OF YOUR PASSENGERS. WE RECOMMEND THE USE OF PFDs DURING ALL BOAT OPERATIONS. PFDs SHOULD BE WORN BY EVERY ONE ON BOARD AT ALL TIMES.
REMEMBER: ALWAYS ATTACH THE STOP-SWITCH SAFETY LANYARD TO YOUR WRIST BEFORE STARTING THE MOTOR AND DURING BOAT OPERATION. BEFORE SETTING OUT, CHECK THAT THE STOP-SWITCH LANYARD IS WORKING PROPERLY AND SHUTS OFF THE ENGINE WHEN PULLED.

