

nautilus

11DLX

Luxury Console Tenders



S P E C S

Overall Length	: 11' / 3.35m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 5'10" / 1.78m	Person Capacity	: 4	Gas Built in Tank	: 11 Gal/ 42 L
Inside Length	: 8' / 2.44m	Weight	: 440lb / 200kg	RDC Design Category	: C
Inside Beam	: 2'7" / 0.79m	Recommended HP	: 30hp / 22.4kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package





A B I N F L A T A B L E S

nautilus

12 DLX

Luxury Console Tenders



S P E C S

Overall Length	: 12' / 3.66m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6' / 1.82m	Person Capacity	: 5	Gas Built in Tank	: 13 Gal / 49 L
Inside Length	: 9'2" / 2.79m	Weight	: 515lb / 234kg	RDC Design Category	: C
Inside Beam	: 2'10" / 0.86m	Recommended HP	: 40hp / 29.8kw		
Tube Diameter	: 18" / 0.46m	Maximum HP	: 50hp / 37.3kw		

S T A N D A R D F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



nautilus

13 DLX

Luxury Console Tenders



S P E C S

Overall Length	: 13' / 3.96m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'5" / 1.95m	Person Capacity	: 5	Gas Built in Tank	: 15 Gal / 57 L
Inside Length	: 9'9" / 2.97m	Weight	: 579lb / 263kg	RDC Design Category	: C
Inside Beam	: 3'1" / 0.94m	Recommended HP	: 40hp / 29.8kw		
Tube Diameter	: 18" / 0.46m	Maximum HP	: 60hp / 44.8kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Stainless Steel Ski Tow



nautilus

14DLX

Luxury Console Tenders



S P E C S	Overall Length : 14' / 4.27m	Number of Chambers : 5	Shaft Length : 20" / 50.8cm
	Overall Beam : 6'6" / 1.98m	Person Capacity : 6	Gas Built in Tank : 21 Gal / 78 L
	Inside Length : 10'10" / 3.30m	Weight : 711lb / 323kg	Water Built in Tank : 9 Gal / 34 L
	Inside Beam : 3'1" / 0.94m	Recommended HP : 50hp / 37.3kw	RDC Design Category : C
	Tube Diameter : 19" / 0.48m	Maximum HP : 70hp / 52.2kw	

STANDARD FEATURES	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank with Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions ■ 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual 	<ul style="list-style-type: none"> ■ Closed Cell Foam Upholstery ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Integrated Fiberglass Console with Forward & Lateral Seat & Cushion ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 4 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Built-In Cooler with Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights ■ 360° Led White Light Navigation Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Lateral Fold Down Stainless Steel Cleat ■ 3 Stainless Steel Davit Lifting Points ■ Stainless Steel Console Grab Handle 	<ul style="list-style-type: none"> ■ Stainless Steel Tie Down & Towing Rings ■ Stainless Steel Bow Eye ■ Stainless Steel Transom Tie Down & Towing Rings ■ Luxury Look Panel ■ 4 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Sending Unit ■ Automatic Bilge Pump 500 GPH ■ Battery Charger ■ Hydraulic Steering System ■ Stainless Steel Steering Wheel ■ Complete Tin Wiring & Heat Shrink Seal Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs ■ LED Courtesy Lights
--------------------------	--	---	---

OPTIONAL FEATURES	<ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Transom Ladder ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness 	<ul style="list-style-type: none"> ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow
--------------------------	---	--





A B I N F L A T A B L E S

nautilus

15DLX

Luxury Console Tenders



S P E C S

Overall Length	: 15' / 4.57m	Number of Chambers	: 5	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'9" / 2.05m	Person Capacity	: 6	Gas Built in Tank	: 27 Gal / 102 L
Inside Length	: 11'6" / 3.50m	Weight	: 739lb / 336kg	Water Built in Tank	: 12 Gal / 45 L
Inside Beam	: 3'2" / 0.97m	Recommended HP	: 60hp / 44.8kw	RDC Design Category	: C
Tube Diameter	: 19" / 0.48m	Maximum HP	: 75hp / 56.0kw		

S T A N D A R D F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank with Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger
- Hydraulic Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L F E A T U R E S

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow



nautilus | **17DLX** | **Luxury Console Tenders**



S P E C S	Overall Length : 17' / 5.18m	Number of Chambers : 5	Shaft Length : 20" / 50.8cm
	Overall Beam : 8'1" / 2.46m	Person Capacity : 10	Gas Built in Tank : 33 Gal / 125 L
	Inside Length : 13'1" / 4.00m	Weight : 1181lb / 537kg	Water Built in Tank : 10 Gal / 38 L
	Inside Beam : 4'5" / 1.35m	Recommended HP : 90hp / 67.1kw	RDC Design Category : C
	Tube Diameter : 20" / 0.51m	Maximum HP : 115hp / 85.8kw	

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank with Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Bow Rider Seating Style ■ Splash well, Draining ■ One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions ■ 2 Side Orca (CSM) Fabric Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual 	<ul style="list-style-type: none"> ■ Closed Cell Foam Upholstery ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Bow Sunbathing Bed ■ Integrated Fiberglass Console ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion ■ 2 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights ■ 360° LED White Light Navigation Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Lateral Fold Down Stainless Steel Cleat ■ 3 Stainless Steel Davit Lifting Points ■ Stainless Steel Console Grab Handle 	<ul style="list-style-type: none"> ■ Stainless Steel Tie Down & Towing Rings ■ Stainless Steel Bow Eye ■ Stainless Steel Transom Tie Down & Towing Rings ■ Luxury Look Pannel ■ 6 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Sending Unit ■ Automatic Bilge Pump 750 GPH ■ Battery Charger ■ Hydraulic Steering System with Height Adjustable Steering Wheel ■ Stainless Steel Steering Wheel with Knob ■ Complete Tin Wiring & Heat Shrink Seal Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs ■ LED Courtesy Lights
--	---	---	--

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Transom Ladder ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness 	<ul style="list-style-type: none"> ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow
--	---	--



nautilus | **19DLX** | **Luxury Console Tenders**



S P E C S	Overall Length : 19' / 5.79m	Number of Chambers : 5	Shaft Length : 25" / 63.5cm
	Overall Beam : 8'4" / 2.54m	Person Capacity : 12	Gas Built in Tank : 67 Gal / 254 L
	Inside Length : 15'4" / 4.67m	Weight : 1639lb / 745kg	Water Built in Tank : 20 Gal / 76 L
	Inside Beam : 4'5" / 1.35m	Recommended HP : 115hp / 85.8kw	RDC Design Category : C
	Tube Diameter : 22" / 0.56m	Maximum HP : 150hp / 111.9kw	

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"> ■ Lean On ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Self Bailing Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank with Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Bow Rider Seating Style ■ Splash well, Draining ■ One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions ■ 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit 	<ul style="list-style-type: none"> ■ Owner's Manual ■ Closed Cell Foam Upholstery ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Bow Sunbathing Bed ■ Integrated Fiberglass Console ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion ■ 2 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights ■ 360° LED White Light Navigation Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Lateral Fold Down Stainless Steel Cleat ■ 3 Stainless Steel Davit Lifting Points 	<ul style="list-style-type: none"> ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow
--	---	--	--

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Transom Ladder ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness 	<ul style="list-style-type: none"> ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow
--	---	--



nautilus

19DLX - I/O*

Luxury Console Tenders



S P E C S

Overall Length	: 19' / 5.79m	Number of Chambers	: 5	Shaft Length	: I/O - Jet
Overall Beam	: 8'4" / 2.54m	Person Capacity	: 10	Gas Built in Tank	: 67 Gal / 254 L
Inside Length	: 15'4" / 4.67m	Weight	: 1551lb / 705kg	Water Built in Tank	: 20 Gal / 76 L
Inside Beam	: 4'5" / 1.35m	Recommended HP	: 150hp / 111.9kw	RDC Design Category	: C
Tube Diameter	: 22" / 0.56m	Maximum HP	: 220hp / 264.1kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Self Bailing Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank with Pump and Shower
- Transom Swim Platform
- Bow Rider Seating Style
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Bow Sunbathing Bed
- Stern Sunbathing Bed
- Integrated Fiberglass Console
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion
- 2 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Pannel
- 6 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 750 GPH
- Battery Charger
- Hydraulic Steering System with Height Adjustable Steering Wheel
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 4 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow

