

## lammina

## 13AL SUPERLIGHT

## **Aluminum Tenders**



	Overal Length	:	13'/ 3.96m	Number of Chambers	:	3	Maximum HP	: 40hp / 29.8kw
S P E C S	Overal Beam	:	6'7"/ 2.00m	Person Capacity	:	7	Shaft Length	:20″/50.8cm
	Inside Length	:	9'10"/ 3.00m	Weight	:	220lb/100kg	RDC Design Category	: C
	Inside Beam	:	3′3″/ 0.99m	Weight with Bow Locker	:	235lb/107kg		
	Tube Diameter	:	18"/ 0.46m	Recommended HP	:	30hp /22.4kw		

- счш Deep "V" Marine Grade Aluminum Hull
  - Stringer System Welded Under Aluminum Deck

ND

ЧЧ

 $\Box$   $\Box$ 

z⊢

 $\triangleleft \triangleleft$ 

μш

νц

л с

∢ш

Zĸ

0⊃

⊢∢

ு ய

Оц

- Heavy Duty Transom Knee Non Skid Rubber Floor Panels Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Aluminum Bow Eye
- 3-4 Aluminum Davit Lifting Points
  - Aluminum Transom Tie Down & Towing Rings
- Aluminum Bow Tie Down & Towing Rings

- Deck Drain with Plug
  Orca(CSM) Five Layer Coated Fabric
  Raised Double Rub Rail
  Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- 1 Front & 4 Side Orca(CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of Double Orca(CSM) Fabric Handles on Tubes
- 2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes
- Paddles with Aluminum Shaft
- Paddle Holders
- Hand Pump
- Maintenance Kit
  Owner's Manual
- 3 Layer Reinforced Seams
- Rubber Protector on Full Length of Keel

- Bow Locker Storage with Vent to Fit a 6 Gal Portable Fuel Tank
- Portable 6 Gal Fuel Tank Installed in Bow Locker with Fittings
- Tube Chaps
- Boat Cover
- Chock Set
- Bow Step with Fold Down Stainless Steel Cleat
- Lateral Fold Down Stainless Steel Cleat
- Fiberglass Console
- Fiberglass Console with Forward Seat



- Bench Seat with Storage
- One Person Jockey Seat
- Two Person Jockey Seat
- Stainless Steel Helm Unit