11 DLX

Luxury Console Tenders



ے

Overal Length Shaft Length 11⁻/ 3.35m Number of Chambers : 3 : 20" / 50.8cm **Overal Beam Person Capacity** Gas Built in Tank : 6'/ 1.82m · 13 Gal / 49 L RDC Design Category : C Inside Length Weight : 8'/ 2.44m : 456lb / 207kg Inside Beam 2'10"/ 0.86m Recommended HP : 30hp / 22.4kw **Tube Diameter** 17"/ 0.43m Maximum HP 40hp / 29.8kw

2 ж ш A A \Box $Z \vdash$ ∢ <

 \vdash \sqcup SH

- Removable Lateral Seat Height Adjustable Steering Wheel

- Height Adjustable Steering writer
 Hand Laid Fiberglass Deep "V" Hull
 Stringer System Laminated into Hull
 Diamond Shape Non-skid Deck
 Integrated Marine Grade Aluminum Fuel Tank

- Plastic Extraal Transom Plate
 Aluminum Internal Transom Plate
 Splash well, Draining
 Push Plastic Non-Corrosive 2 Stage Inflation Valves
- One All Integrated Deck with Bow Front & Lateral Cushions Solid Single Rub Rail
- Orca (CSM) Five Layer Coated Fabric
 Sporty Console Look Design with SS Hand Rail
 Plexiglass Windshield
 Stainless Steel Rear Seat Port/Starboard Hand Rail
- - 2 SS Cup Holder

- Hand Pump Maintenance Kit Owner's Manual

- Owner's Manual
 Fully Upholstered Seating Spradling
 Port Boat Entrance Step with Diamond Non-Skid Shape
 Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
 Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 3 Deck Drains Hull Drain with Plug
- Bow Locker/Seat Bow Hatch Cushion
- Console with Rotating Access
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights 360° White Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats 3 Stainless Steel Davit Lifting Points

- Stainless Steel Tie Down & Towing Rings
 Stainless Steel Bow Eye
 Luxury Look Pannel
 4 Waterproof B
- 4 Waterproof Rocker Switches with Circuit Brakers Battery Box
- Battery Switch Fuel and Water Separator Filter
- Fuel Sending Unit Automatic Bilge Pump 500 GPH

- Battery Charger (Subject to Country of Delivery)
 Mechanical Steering System
 Stainless Steel Steering Wheel
 Complete Tin Wiring & Heat Shrink Seal Terminals
 3 Layer Reinforced Seams
 Stainless Steel Gas Springs
 IED Courtee

- LED Courtesy Lights

 \sim ΨШ \sim \circ $\vdash \triangleleft$ Δш 0 ч

- Stainless Steel Light Arch
- Bimini Top
- **Chock Set**
- **Boat Cover**
- **Console Cover**
- Lifting Harness ■ Teak Floor

- CD/Radio System
- Compass
- **GPS**
- VHF Package
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





12 DLX

Luxury Console Tenders



Overal Beam

6'/1.82m

Person Capacity

Gas Built in Tank : 13 Gal / 49 L

Inside Length

S

2

жш

A A \Box

 \triangleleft

– ш

SH

2 &

⋖

Δш

0 ч

: 9'2"/ 2.79m

Weight : 515lb / 234kg RDC Design Category : C

Inside Beam

: 2'10"/ 0.86m

Recommended HP : 40hp / 29.8kw

Tube Diameter

: 17"/ 0.43m

Maximum HP 50hp/37.3kw

Removable Lateral Seat
Height Adjustable Steering Wheel
Hand Laid Fiberglass Deep "V" Hull
Stringer System Laminated into Hull
Diamond Shape Non-skid Deck
Integrated Marine Grade Aluminum Fuel Tank
Plastic External Transom Plate
Aluminum Internal Transom Plate
Splash well, Draining
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
One All Integrated Deck with Bow Front & Lateral Cushions
Solid Single Rub Rail
Orca (CSM) Five Layer Coated Fabric

Sond Single Rub Rail
Orca (CSM) Five Layer Coated Fabric
Sporty Console Look Design with SS Hand Rail
Plexiglass Windshield
Stainless Steel Rear Seat Port/Starboard Hand Rail
1 SS Cup Holder

Maintenance Kit Owner's Manual Fully Upholstered Seating - Spradling

Port Boat Entrance Step with Diamond Non-Skid Shape
Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
Molded-In Stern Seat & Cushion with Armrest & Large Storage
4 Deck Drains

Hull Drain with Plug Bow Locker/Seat

Bow Hatch Cushion

Built-In Cooler with Cushion Console Front Access Lid

Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights

360° White Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats

Stainless Steel Tie Down & Towing Rings Stainless Steel Transom Tie Down & Towing Rings Stainless Steel Bow Eye

Luxury Look Pannel

A Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter

Fuel Sending Unit Automatic Bilge Pump 500 GPH

Autoritation and Charles and Charles and Charles (Subject to Country of Delivery)
Mechanical Steering System
Stainless Steel Steering Wheel
Complete Tin Wiring & Heat Shrink Seal Terminals

3 Layer Reinforced Seams Stainless Steel Gas Springs

LED Courtesy Lights

Stainless Steel Light Arch

Bimini Top

Chock Set

Boat Cover Console Cover

Lifting Harness

Teak Floor

■ CD/Radio System

Compass

GPS

■ VHF Package

Stainless Steel Ski Tow

Custom Tube Color (Per Availability)





13 DLX

Luxury Console Tenders



Overal Length

: 13′/ 3.96m

Number of Chambers: 3

Shaft Length : 20" / 50.8cm

Overal Beam

: 6'5"/ 1.95m

Person Capacity

Gas Built in Tank : 15 Gal / 57 L

Inside Length

: 9'9"/ 2.97m

Weight : 612lb / 278kg RDC Design Category : C

Inside Beam

ے

S

2

а ш

A R

⋖⋖

 \vdash \sqcup

SH

Z &

⋖

Δш

0 ц

: 3'1"/ 0.94m

Recommended HP : 40hp / 29.8kw

Tube Diameter

: 18"/ 0.46m

Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank

Plastic External Transom Plate Aluminum Internal Transom Plate

Splash well, Draining
One All Integrated Deck with Bow Front & Lateral Cushions
Solid Double Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Sporty Console Look Design with SS Hand Rail

Plexiglass Windshield Stainless Steel Rear Seat Port/Starboard Hand Rail

1 SS Cup Holder

Hand Pump Maintenance Kit

Maximum HP

Owner's Manual
Fully Upholstered Seating - Spradling *
Port Boat Entrance Step with Diamond Non-Skid Shape
Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
Molded-In Stern Seat & Cushion with Armrest & Large Storage

: 60hp / 44.8kw

4 Deck Drains
Hull Drain with Plug

Bow Locker/Seat Bow Hatch Cushion

Built-In Cooler with Cushion Console Front Access Lid

Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights 360° White Anchor Light Pole

Integrated Stainless Steel Bow Port & Starboard Hand Rails
Ample Stern Platform with 5S Retracting Cleats
3 Stainless Steel Davit Lifting Points
Stainless Steel Tie Down & Towing Rings

Stainless Steel Bow Eye
Stainless Steel Transom Tie Down & Towing Rings
Luxury Look Pannel
4 Waterproof Rocker Switches with Circuit Brakers
Battery Box
Battery Switch
Fuel and Water Separator Filter

Fuel Sending Unit
Automatic Bilge Pump 500 GPH
Battery Charger (Subject to Country of Delivery)
Mechanical Steering System
Stainless Steel Steering Wheel
Complete Tin Wiring & Heat Shrink Seal Terminals

3 Layer Reinforced Seams Stainless Steel Gas Springs

LED Courtesy Lights

Stainless Steel Light Arch

■ Bimini Top

Chock Set

Boat Cover

Console Cover

Lifting Harness

■ Teak Floor

■ CD/Radio System

Compass

GPS

■ VHF Package

Stainless Steel Ski Tow

Custom Tube Color (Per Availability)



14DLX

Luxury Console Tenders



Overal Beam

: 14′/ 4.27m

Number of Chambers: 5

Shaft Length : 20" / 50.8cm

: 6'6"/ 1.98m

Person Capacity

Gas Built in Tank : 21 Gal / 78 L

Inside Length

: 10'10"/3.30m

Weight : 730lb / 332kg

: 9 Gal / 34 L Water Built in Tank

Inside Beam

ட

S

2

жш

A A

∢∢ \vdash \sqcup

SH

ЧШ \sim

 \circ

 \vdash \forall

а ш Ош

: 3'1"/ 0.94m

Recommended HP

: 50hp/37.3kw

Tube Diameter

: 19"/ 0.48m

Maximum HP

: 70hp / 52.2kw

Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Marine Grade Aluminum Water Tank with Pump and Shower

Plastic External Transom Plate Aluminum Internal Transom Plate

Administration Flate
Splash well, Draining
One All Integrated Deck with Bow Front & Lateral Cushions
Solid Double Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Orca (CSM) Five Layer Coated Fabric
Hand Pump
Mintenance Kit

Maintenance Kit

Owner's Manual

Sporty Console Look Design with SS Hand Rail Plexiglass Windshield

4 SS Cup Holders

ss Steel Rear Seat Port/Starboard Hand Rail

Fully Upholstered Seating - Spradling *
Port Boat Entrance Step with Diamond Non-Skid Shape
Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
Molded-In Stern Seat & Cushion with Armrest & Large Storage

4 Deck Drains
Hull Drain with Plug
Bow Locker/Seat
Bow Hatch Cushion

Built-In Cooler with Cushion Console Front Access Lid

Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
360° White LED Anchor Light Pole
Integrated Stainless Steel Bow Port & Starboard Hand Rails
Ample Stern Platform with SS Retracting Cleats
3 Stainless Steel Davit Lifting Points
Stainless Steel Tie Down & Towing Rings
Stainless Steel Bow Eye

6 Waterproof Rocker Switches with Circuit Brakers Battery Box

Battery Switch
Fuel and Water Separator Filter

RDC Design Category: C

Fuel Sending Unit Automatic Bilge Pump 500 GPH

Automatic Bilge Pump SOU GPH
 Battery Charger (Subject to Country of Delivery)
 Hydraulic Steering System
 Stainless Steel Steering Wheel
 Complete Tin Wiring & Heat Shrink Seal Terminals
 3 Layer Reinforced Seams
 Stainless Steel Gas Springs
 LED Courtesy Lights

Stainless Steel Light Arch

Bimini Top

Chock Set

Boat Cover

Console Cover Lifting Harness

Teak Floor

■ CD/Radio System

Compass

GPS

■ VHF Package

Rod Holders

Stainless Steel Ski Tow

Custom Tube Color (Per Availability)





15DLX

Luxury ConsoleTenders



Overal Beam

: 6'9"/ 2.05m

Person Capacity

Gas Built in Tank : 27 Gal / 102 L

Inside Length : 11'6"/3.50m Weight : 766lb / 348kg

: 12 Gal / 45 L Water Built in Tank

Inside Beam : 3'2"/ 0.97m

Recommended HP : 60hp / 44.8kw

RDC Design Category: C

Tube Diameter : 19"/ 0.48m Maximum HP : 70hp / 52.2kw

Stainless Steel Rear Seat Port/Starboard Hand Rail

Fully Upholstered Seating - Spradling *
Port Boat Entrance Step with Diamond Non-Skid Shape
Integrated Fiberglass Console withForward Seat & Cushion

Hand Laid Fiberglass Deep" V" Hull
Stringer System Laminated into Hull
Diamond Shape Non-kid Deck
Integrated Marine Grade A luminumFuel Tank
Marine Grade A luminumWater Tank with Pump and Shower
Plastic External TransomPlate
AluminumInternal TransomPlate
Splash well, Draining
One All Integrated Deck with Bow Front & Lateral Cushions
Solid Double Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Orca (CSM) Five Layer Coated Fabric
Hand Pump

Sporty Console Look Design with SS Hand Rail Plexiglass Windshield

Molded In Stern Seat & Cushion with Armrest & Large Storage

4 Deck Drains
Hull D rain with Plug
B ow Locker/Seat
B ow Hatch Cushion

Bow Hatch Cushion
Buil t-In Cooler with Cushion
Console Front Access Lid
Bow Step with Fold Down Stainless Steel Cleat & LED N avigation Lights
360° White LED Anchor Light Pole
Integrated Stainless Steel Bow Port & Starboard Hand Rails
Ample Stern Platform with SS Retracting Cleats
3 Stainless Steel Davit Lifting Points
Stainless Steel Tie Down & Towing Rings
Stainless Steel Tie Down & Towing Rings

Stainless Steel Transom Tie Down & Towing Rings 6 Waterproof Rocker Switches with Circuit Brakers

Battery Box
Battery Switch
Fuel and Water Separator Filter

Fuel andWater Separator Filter
Fuel Sending Unit
Automatic Bilge Pump 500 GPH
Battery Charger (Subject to Country of Delivery)
Hydraulic Steering System
Stainless Steel Steering Wheel
Complete Tin Wirring & He at Shrink Seal Terminals
3 Layer Reinforced Seams
Stainless Steel Gas Springs

LED Courtesy Lights

 \sim \simeq \circ $\vdash \forall$

ОШ

ш

2 жш

A A

∢∢

 μ

SH

- Bow Sunbathing Bed
- Stainless Steel Light Arch
- Bimini Top

Hand Pump Maintenance Kit Owner's Manual

- Chock Set
- Boat Cover
- ConsoleCover
- Lifting Harness
- Teak Floor

- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- CustomTubeColor (Per Availability)



17DLX

Luxury Console Tenders



Overal Beam

Inside Length

Inside Beam

Tube Diameter

8'1"/ 2.46m

: 13′1″/ 4.00m

: 4'5"/ 1.35m

: 20"/ 0.51m

Number of Chambers: 5 **Person Capacity**

: 10

: 1250lb / 568kg

: 115hp / 85.8kw

: 90hp / 67.1kw

RDC Design Category: C

O S жш A & \Box SП

 \sim

ΨШ

 \sim

 \circ

٠ م

д ш Оц

ш

- Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
 Marine Grade Aluminum Water Tank with Pump and Shower

- Marine Grabe Autminum water rank with Pump and Snowe
 Plastic External Transom Plate
 Aluminum Internal Transom Plate
 Bow Rider Seating Style
 Splash well, Draining
 One All Integrated Deck with Bow Front & Lateral Cushions
 Solid Double Rub Rain
 New Purch Plastic Name Correction 2 States Inflation Values
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
 Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual Sporty Console Look Design with SS Hand Rail
- Plexiglass Windshield

2 SS Cup Holders

Maximum HP

Recommended HP

Weight

- 2 SS CUP FIGURES
 Recessed SS Ladder
 Stainless Steel Rear Seat Port/Starboard Hand Rail
 Fully Upholstered Seating Spradling *
 Port Boat Entrance Step with Diamond Non-Skid Shape

- Bow Sunbathing Bed Integrated Fiberglass Console Molded-In Stern Seat & Cushion with Armrest & Large Storage 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion 2 Deck Drains Hull Drain with Plug

- Bow Locker/Seat Bow Hatch Cushion
- Console Front Access Lid
 Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
 360° White LED Anchor Light Pole
 Integrated Stainless Steel Bow Port & Starboard Hand Rails

- Ample Stern Platform with SS Retracting Cleats

- 3 Stainless Steel Davit Lifting Points

: 33 Gal / 125 L

: 10 Gal / 38 L

Gas Built in Tank

Water Built in Tank

- 3 Stainless Steel Davit Lifting Points
 5 Stainless Steel Tie Down & Towing Rings
 Stainless Steel Bow Eye
 5 Stainless Steel Transom Tie Down & Towing Rings
 6 Waterproof Rocker Switches with Circuit Brakers
 Battery Box
 Battery Switch
 Fuel and Water Separator Filter
 Fuel Sending Unit
 Automatic Bilge Pump 750 GPH
 Battery Charger (Subject to Country of Delivery)
 Hydraulic Steering System with Height Adjustable Steering Whee
 Stainless Steel Steering Wheel with Knob
 Complete Tin Wiring & Heat Shrink Seal Terminals
- Complete Tin Wiring & Heat Shrink Seal Terminals

 3 Layer Reinforced Seams

 Stainless Steel Gas Springs

- LED Courtesy Lights

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness Teak Floor

- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





19DLX

Luxury Console Tenders



SPECS

Overal Length : 19′/ 5.79m Number of Chambers: 5 Shaft Length : 25" / 63.5cm **Overal Beam Person Capacity** Gas Built in Tank : 8'4"/ 2.54m : 67 Gal / 254 L Water Built in Tank : 20 Gal / 76 L Inside Length : 15'4"/4.67m Weight : 1639lb / 745kg Inside Beam Recommended HP RDC Design Category : C : 4'5"/ 1.35m : 115hp / 85.8kw **Tube Diameter** : 22"/ 0.56m Maximum HP :150hp /111.9kw

S T A N D A R D F E A T U R E S

ДШ

Zœ

⋖

ωш

Ош

Lean On
Hand Laid Fiberglass Deep "V" Hull
Stringer System Laminated into Hull
Diamond Shape Non-skid Deck
Self Bailing Deck
Integrated Marine Grade Aluminum Fuel Tank
Marine Grade Aluminum Water Tank with Pump and Shower
Plastic External Transom Plate
Aluminum Internal Transom Plate
Bow Rider Seating Style
Splash well, Draining
One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
Raised Double Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Orca (CSM) Five Layer Coated Fabric
Hand Pump
Maintenance Kit

Owner's Manual
Fiberglass Console with Forward Seat & Cushion
Fully Upholstered Seating - Spradling ®
Port Boat Entrance Step with Diamond Non-Skid Shape
Bow Sunbathing Bed
Integrated Fiberglass Console
Molded-In Stern Seat & Cushion with Armrest & Large Storage
2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion
2 Deck Drains
Hull Drain with Plug
Bow Locker/Seat
Bow Hatch Cushion
Console Front Access Lid
Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
360° LED White Anchor Light Pole
Integrated Stainless Steel Bow Port & Starboard Hand Rails
Lateral Fold Down Stainless Steel Cleat
3 Stainless Steel Davit Lifting Points

- Stainless Steel Light ArchTransom Ladder
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness

- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow



19DLX - I/O*

Luxury Console Tenders



Overal Beam

Inside Length

8'4"/ 2.54m

: 15'4"/ 4.67m

Number of Chambers: 5

Person Capacity

: 1551lb / 705kg

: 150hp / 111.9kw

RDC Design Category : C

: 67 Gal / 254 L

: 20 Gal / 76 L

Inside Beam : 4′5″/ 1.35m

Maximum HP : 22"/ 0.56m

Weight

:220hp /264.1kw

2 жш フト \forall \vdash \square

SH

 \sim

⋖

ω

0 ч

Tube Diameter

- Hand Laid Fiberglass Deep "V" Hull
 Stringer System Laminated into Hull
 Diamond Shape Non-skid Deck
 Self Bailing Deck
 Integrated Marine Grade Aluminum Fuel Tank
 Marine Grade Aluminum Water Tank with Pump and Shower

- Transom Swim Plataform
 Bow Rider Seating Style
 One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes

- Raised Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit Owner's Manual

- Closed Cell Foam Upholstery Port Boat Entrance Step with Diamond Non-Skid Shape
- Bow Sunbathing Bed Stern Sunbathing Bed

Recommended HP

- Integrated Fiberglass Console
 Molded-In Stern Seat & Cushion with Armrest & Large Storage
 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion
 2 Deck Drains
- Hull Drain with Plug Bow Locker/Seat
- **Bow Hatch Cushion**

- Bow Hatch Cushion
 Console Front Access Lid
 Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
 360° LED White Light Navigation Pole
 Integrated Stainless Steel Bow Port & Starboard Hand Rails
 Lateral Fold Down Stainless Steel Cleat
 3 Stainless Steel Davit Lifting Points

- Stainless Steel Tie Down & Towing Rings Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
 Luxury Look Pannel
- 6 Waterproof Rocker Switches with Circuit Brakers
 Battery Box
- Battery SwitchFuel and Water Separator Filter

Gas Built in Tank

Water Built in Tank

- Sending Unit
 Automatic Bilge Pump 750 GPH
- Battery Charger

 Hydraulic Steering System with Height Adjustable Steering Wheel
 Stainless Steel Steering Wheel with Knob
 Complete Tin Wiring & Heat Shrink Seal Terminals

- 4 Layer Reinforced SeamsStainless Steel Gas Springs
- LED Courtesy Lights

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top
- Chock Set Boat Cover
- Console Cover
- Lifting Harness

- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow

