

mares

10 VSX

Lightweight fiberglass Console Tenders



SPECS

Overall Length	: 10'6" / 3.19m	Number of Chambers	: 3	Shaft Length Option 1	: 15" / 38.1cm
Overall Beam	: 5'7" / 1.72m	Person Capacity	: 4	Shaft Length Option 2	: 20" / 50.8cm
Inside Length	: 7'7" / 2.31m	Weight	: 287lb / 130kg	RDC Design Category	: C
Inside Beam	: 2'8" / 0.81m	Recommended HP	: 25hp / 18.7kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 30hp / 22.4kw		

STANDARD FEATURES

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes
- Raised Single Solid Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Marine Cell Foam Upholstery
- Fiberglass Console with Cup Holder & SS Grab Handle.
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- LED Navigation Side Lights
- 360° LED White Light Navigation Pole
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Gas Springs
- Luxury Look Pannel
- 2 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Foldable Console

OPTIONAL FEATURES


- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



mares

11 VSX

Lightweight fiberglass Console Tenders



S P E C S	Overall Length	: 11'4" / 3.45m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
	Overall Beam	: 5'9" / 1.77m	Person Capacity	: 4	RDC Design Category	: C
	Inside Length	: 8'1" / 2.47m	Weight	: 315lb / 143kg		
	Inside Beam	: 2'8" / 0.81m	Recommended HP	: 30hp / 22.4kw		
	Tube Diameter	: 18" / 0.46m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"><li>Removable Lateral Seat</li><li>Bow Locker Storage to Fit a 6 Gal. Portable Fuel Tank</li><li>Foldable Console</li><li>Hand Laid Fiberglass Deep "V" Hull</li><li>Stringer System Laminated into Hull</li><li>Diamond Shape Non-skid Deck</li><li>Plastic External Transom Plate</li><li>Aluminum Internal Transom Plate</li><li>1 Front &amp; 2 Side Orca (CSM) Fabric Handles on Tubes</li><li>1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes</li><li>2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes</li><li>Raised Single Solid Rub Rail</li><li>Push Push Plastic Non-Corrosive 2 Stage Inflation Valves</li><li>Orca (CSM) Five Layer Coated Fabric</li><li>Hand Pump</li><li>Maintenance Kit</li></ul>	<ul style="list-style-type: none"><li>Owner's Manual</li><li>Marine Cell Foam Upholstery</li><li>Fiberglass Console with Cup Holder &amp; SS Grab Handle</li><li>Integrated Stern Seat with Storage</li><li>2 Deck Drain &amp; Hull Drain with Plug</li><li>Bow Locker/Seat with Vent</li><li>Bow Hatch Cushion</li><li>LED Navigation Side Lights</li><li>360° LED White Navigation Pole</li><li>4 Stainless Steel Davit Lifting Points</li><li>Stainless Steel Bow Eye</li><li>Stainless Steel Tow Rings &amp; Tie Downs</li><li>Stainless Steel Gas Springs</li><li>Luxury Look Pannel</li><li>2 Waterproof Rocker Switches with Circuit Brakers</li><li>Battery Box</li></ul>	<ul style="list-style-type: none"><li>Battery Switch</li><li>Fuel and Water Separator Filter</li><li>Automatic Bilge Pump 500 GPH</li><li>Mechanical Steering System</li><li>Stainless Steel Steering Wheel</li><li>Complete Tin Wiring &amp; Heat Shrink Sealed Terminals</li><li>3 Layer Reinforced Seams</li></ul>

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"><li>Portable 6 Gal. Fuel Tank Installed in Bow Locker with Fittings</li><li>Stainless Steel Light Arch</li><li>Bimini Top with Stainless Steel Tubing</li><li>Chock Set</li><li>Boat Cover</li><li>Console Cover</li><li>Lifting Harness</li></ul>	<ul style="list-style-type: none"><li>Teak Floor</li><li>CD/Radio System</li><li>Compass</li><li>GPS</li><li>VHF Package</li></ul>





mares

12 VSX

Lightweight fiberglass Console Tenders



S P E C S

Overall Length	: 12' / 3.66m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6' / 1.82m	Person Capacity	: 5	RDC Design Category	: C
Inside Length	: 8'9" / 2.67m	Weight	: 337lb / 153kg		
Inside Beam	: 2'9" / 0.84m	Recommended HP	: 30hp / 22.4kw		
Tube Diameter	: 18" / 0.46m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D  
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
  - Stringer System Laminated into Hull
  - Diamond Shape Non-skid Deck
  - Plastic External Transom Plate
  - Aluminum Internal Transom Plate
  - 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
  - 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
  - 2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes
  - Raised Single Solid Rub Rail
  - Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
  - Orca (CSM) Five Layer Coated Fabric
  - Hand Pump
  - Maintenance Kit
  - Owner's Manual
  - Marine Cell Foam Upholstery
  - Fiberglass Console with Cup Holder & SS Grab Handle
- Integrated Stern Seat with Storage
  - 2 Deck Drain & Hull Drain with Plug
  - Bow Locker/Seat
  - Bow Hatch Cushion
  - LED Navigation Side Lights
  - 360° LED White Navigation Pole
  - 4 Stainless Steel Davit Lifting Points
  - Stainless Steel Bow Eye
  - Stainless Steel Tow Rings & Tie Downs
  - Stainless Steel Gas Springs
  - Luxury Look Pannel
  - 2 Waterproof Rocker Switches with Circuit Brakers
  - Battery Box
  - Battery Switch
- Fuel and Water Separator Filter
  - Automatic Bilge Pump 500 GPH
  - Mechanical Steering System
  - Stainless Steel Steering Wheel
  - Complete Tin Wiring & Heat Shrink Sealed Terminals
  - 3 Layer Reinforced Seams

O P T I O N A L  
F E A T U R E S

- Stainless Steel Light Arch
  - Bimini Top with Stainless Steel Tubing
  - Chock Set
  - Boat Cover
  - Console Cover
  - Lifting Harness
- Teak Floor
  - CD/Radio System
  - Compass
  - GPS
  - VHF Package

