### **STANDARD** FEATURES

- Marine Grade Aluminum Hull
- Seadek ® Foam Teak (Grey or Mocca)
- 820 Orca (CSM) Coated Fabric
- Bow Eye
- · Aluminum Davit Lifting Points
- Single Rub Rail
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- · 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owmer's Manual



- Cover
- Tube Chaps
- · Chock Set
- Chrome Free Advanced Pretreatment and Powder Coating Technology NEW
- Color Boat Customization
- Bow Bench Seat

SPECIFICATION	<b>IMPERIAL</b>	METRIC
OVERALL LENGTH	7′ 10″	2.39 M
OVERALL BEAM	4′ 11″	1.50 M
INSIDE LENGTH	5′ 5″	1.65 M
INSIDE BEAM	2′2″	0.66 M
TUBE DIAMETER	16"	0.41 M
NUMBER OF CHAMBERS	2	2
PERSON CAPACITY	3	3
WEIGHT	72 LBS	33 KG
MAXIMUM HP	4 HP	2.9 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	С	С



### STANDARD FEATURES -

- Marine Grade Aluminum Hull
- Seadek ® Foam Teak (Grey or Mocca)
- 820 Orca (CSM) Coated Fabric
- Bow Eye
- · Aluminum Davit Lifting Points
- Single Rub Rail
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- · 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owmer's Manual



- Cover
- · Tube Chaps
- Chock Set
- Chrome Free Advanced Pretreatment and Powder Coating Technology NEW
- Color Boat Customization
- Bow Bench Seat

SPECIFICATION	<b>IMPERIAL</b>	METRIC
OVERALL LENGTH	8′ 5″	2.56 M
OVERALL BEAM	4′ 11″	1.50 M
INSIDE LENGTH	5′ 10″	1.79 M
INSIDE BEAM	2′2″	0.66 M
TUBE DIAMETER	16"	0.41 M
NUMBER OF CHAMBERS	2	2
PERSON CAPACITY	4	4
WEIGHT	77 LBS	35 KG
MAXIMUM HP	5 HP	3.8 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	С	С



### STANDARD FEATURES -

- Marine Grade Aluminum Hull
- Seadek ® Foam Teak (Grey or Mocca)
- 820 Orca (CSM) Coated Fabric
- Bow Eye
- Aluminum Davit Lifting Points
- Single Rub Rail
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- · 3 Layer Reinforced Seams
- · Hand Pump
- Maintenance Kit
- Owmer's Manual



- Cover
- · Tube Chaps
- Chock Set
- Chrome Free Advanced Pretreatment and Powder Coating Technology NEW
- Color Boat Customization
- Bow Bench Seat

SPECIFICATION	<b>IMPERIAL</b>	METRIC
OVERALL LENGTH	9' 1"	2.76 M
OVERALL BEAM	4' 11"	1.50 M
INSIDE LENGTH	6′ 3″	1.90 M
INSIDE BEAM	2′ 3″	0.70 M
TUBE DIAMETER	16"	0.41 M
NUMBER OF CHAMBERS	2	2
PERSON CAPACITY	4	4
WEIGHT	84 LBS	38 KG
MAXIMUM HP	10 HP	7.5 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	С	С



### STANDARD FEATURES -

- Marine Grade Aluminum Hull
- Seadek ® Foam Teak (Grey or Mocca)
- 820 Orca (CSM) Coated Fabric
- Bow Eye
- Aluminum Davit Lifting Points
- Single Rub Rail
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- · 3 Layer Reinforced Seams
- · Hand Pump
- Maintenance Kit
- Owmer's Manual



- Cover
- · Tube Chaps
- · Chock Set
- Chrome Free Advanced Pretreatment and Powder Coating Technology NEW
- Color Boat Customization
- Bow Bench Seat

SPECIFICATION	<b>IMPERIAL</b>	METRIC
OVERALL LENGTH	10'	3.05 M
OVERALL BEAM	5′ 6″	1.68 M
INSIDE LENGTH	7' 2"	2.18 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	94 LBS	43 KG
MAXIMUM HP	15 HP	11.2 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	С	С

