



STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Solid Single Rub Rail

- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Removable Lateral Seat



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Cover
- Rod Holders
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	11'	3.35 M
OVERALL BEAM	6'	1.82 M
INSIDE LENGTH	8'	2.44 M
INSIDE BEAM	2' 10"	0.86 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	4	4
WEIGHT	456 LBS	207 KG
MAXIMUM HP	40 HP	29.8 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	13 GAL	49 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Solid Single Rub Rail

- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Removable Lateral Seat



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	12'	3.66 M
OVERALL BEAM	6'	1.82 M
INSIDE LENGTH	9' 2"	2.79 M
INSIDE BEAM	2' 10"	0.86 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	515 LBS	234 KG
MAXIMUM HP	50 HP	37.3 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	13 GAL	49 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump
- Transom Ladder



OPTIONAL FEATURES

- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	13'	3.96 M
OVERALL BEAM	6' 5"	1.95 M
INSIDE LENGTH	9' 9"	2.97 M
INSIDE BEAM	3' 1"	0.94 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	612 LBS	278 KG
MAXIMUM HP	60 HP	44.8 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	15 GAL	57 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System And Sport Steering Wheel
- Standard Rigging From Factory
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System
- Solid Double Rub Rail
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump
- Transom Ladder



OPTIONAL FEATURES

- Height Adjustable Steering Wheel
- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	14'	4.27 M
OVERALL BEAM	6' 6"	1.98 M
INSIDE LENGTH	10' 10"	3.30 M
INSIDE BEAM	3' 1"	0.94 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	6	6
WEIGHT	730 LBS	332 KG
MAXIMUM HP	70 HP	52.2 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK <small>* EPA built-in fuel tank 7% capacity reduction approx.</small>	21 GAL	78 LT
WATER BUILT-IN TANK	9 GAL	34 LT
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System And Sport Steering Wheel
- Standard Rigging From Factory
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System
- Solid Double Rub Rail
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump
- Transom Ladder



OPTIONAL FEATURES

- Sunbathing Bed
- Height Adjustable Steering Wheel
- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	15'	4.57 M
OVERALL BEAM	6' 9"	2.05 M
INSIDE LENGTH	11' 6"	3.50 M
INSIDE BEAM	3' 2"	0.97 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	6	6
WEIGHT	766 LBS	348 KG
MAXIMUM HP	75 HP	56 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	27 GAL	102 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
WATER BUILT-IN TANK	12 GAL	45 LT
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System And Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System
- Solid Double Rub Rail
- Sunbathing Bed
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- Stern Recessed Foldable Ladder
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump



OPTIONAL FEATURES

- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	17'	5.18 M
OVERALL BEAM	8' 1"	2.46 M
INSIDE LENGTH	13' 1"	4.00 M
INSIDE BEAM	4' 5"	1.35 M
TUBE DIAMETER	20"	0.51 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	10	10
WEIGHT	1250 LBS	568 KG
MAXIMUM HP	115 HP	85.8 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	33 GAL	125 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
WATER BUILT-IN TANK	10 GAL	38 LT
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System And Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System
- Solid Double Rub Rail
- Sunbathing Bed
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump



OPTIONAL FEATURES

- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	19'	5.79 M
OVERALL BEAM	8' 4"	2.54 M
INSIDE LENGTH	15' 4"	4.67 M
INSIDE BEAM	4' 5"	1.35 M
TUBE DIAMETER	22"	0.56 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	12	12
WEIGHT	1639 LBS	745 KG
MAXIMUM HP	150 HP	111.9 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	67 GAL	254 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
WATER BUILT-IN TANK	20 GAL	76 LT
SHAFT LENGTH	25"	63.5 CM



STANDARD FEATURES

- Hydraulic Steering System And Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow Rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling ®
- Under Seat Storage Compartments
- Built-In Cooler with Drain
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System
- Solid Double Rub Rail
- Sunbathing Bed
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3 Layers Reinforced Seams
- ORCA (CSM) Coated Fabric
- Reinforced ORCA (CSM) Fabric Handles on Tubes
- Owner's Manual
- Maintenance Kit
- Hand Pump



OPTIONAL FEATURES

- Flip Up Seat
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	19'	5.79 M
OVERALL BEAM	8' 4"	2.54 M
INSIDE LENGTH	15' 4"	4.67 M
INSIDE BEAM	4' 5"	1.35 M
TUBE DIAMETER	22"	0.56 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	10	10
WEIGHT	1551 LBS	705 KG
MAXIMUM HP	220 HP	164.1 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	67 GAL	254 LT
<small>* EPA built-in fuel tank 7% capacity reduction approx.</small>		
WATER BUILT-IN TANK	20 GAL	76 LT