

STANDARD FEATURES

- Mechanical Steering System And Sporty Wheel
- Standard Rigging From Factory
- Integrated Foldable Console With Space For A 7" Screen, USB-C Port, 12V DC Socket And Cupholder
- Bow Locker With Capacity For A 6-Gallon Portable Fuel Tank
- Bow Locker Seat With Cushion
- Removable Lateral Console Seat
- Splashwell And Rear Seat Equipped With Sturdy SS Hinges
- Pole Navigation Lights
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fully Upholstered Seating - Spradling®
- Under Seat Storage Compartment
- 4 Stainless Steel Davit Lifting Points
- Solid Single Rub Rail
- Stainless Steel Bow Eye
- Reinforced Orca (CSM) Fabric Handles On Tubes
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Cupholder



OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Stereo System
- Compass
- GPS
- VHF Radio
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Hydraulic Steering System
- Synthetic Teak Floor
- Foam Teak (Grey Or Mocca)

SPECIFICATION	US UNIT	METRIC
OVERALL LENGTH	10' 6"	3.19 M
OVERALL BEAM	5' 7"	1.72 M
INSIDE LENGTH	7' 7"	2.31 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	4	4
WEIGHT	304 LBS	138 KG
MAXIMUM HP	30 HP	22.4 KW
RDC DESIGN CATEGORY	C	C
SHAFT LENGTH	15" - 20"	38,1 - 50, 8 CM

STANDARD FEATURES

- Mechanical Steering System And Sporty Wheel
- Standard Rigging From Factory
- Stainless Steel Bow Eye
- Bow Locker Seat With Cushion
- Integrated Fiberglass Foldable Console
- Pole Navigation Lights
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fully Upholstered Seating - Spradling®
- Under Seat Storage Compartment
- 4 Stainless Steel Davit Lifting Points
- Solid Single Rub Rail
- Reinforced Orca (CSM) Fabric Handles On Tubes
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Cupholder
- Removable Lateral Seat
- Bow Locker Seat With Vent & Storage To Fit A 6 Gal Portable Fuel Tank



OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Stereo System
- Compass
- GPS
- VHF Radio
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Hydraulic Steering System
- Synthetic Teak Floor
- Foam Teak (Grey Or Mocca)

SPECIFICATION	US UNIT	METRIC
OVERALL LENGTH	11' 4"	3.45 M
OVERALL BEAM	5' 9"	1.77 M
INSIDE LENGTH	8' 1"	2.47 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	4	4
WEIGHT	317 LBS	144 KG
MAXIMUM HP	40 HP	29.8 KW
RDC DESIGN CATEGORY	C	C
SHAFT LENGTH	20"	50, 8 CM

STANDARD FEATURES

- Mechanical Steering System And Sporty Wheel
- Standard Rigging From Factory
- Integrated Console With Forward Seat And Space For A 7" Screen, USB-C Port, 12V DC Socket And Cupholder
- Bow Locker Seat With Cushion
- Removable Lateral Console Seat
- Splashwell And Rear Seat Equipped With Sturdy SS Hinges
- Pole Navigation Lights
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fully Upholstered Seating - Spradling®
- Under Seat Storage Compartment
- 4 Stainless Steel Davit Lifting Points
- Solid Single Rub Rail
- Reinforced Orca (CSM) Fabric Handles On Tubes
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Cupholder



OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Stereo System
- Compass
- GPS
- VHF Radio
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Hydraulic Steering System
- Synthetic Teak Floor
- Foam Teak (Grey Or Mocca)

SPECIFICATION	US UNIT	METRIC
OVERALL LENGTH	12'	3.66 M
OVERALL BEAM	6'	1.82 M
INSIDE LENGTH	8' 9"	2.67 M
INSIDE BEAM	2' 9"	0.84 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	344 LBS	156 KG
MAXIMUM HP	40 HP	29.8 KW
RDC DESIGN CATEGORY	C	C
SHAFT LENGTH	20"	50, 8 CM