

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- Stainless Steel Gas Springs
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Grab Rail
- Molded-In Rear Seat with Ample Storage
- Integrated Aluminum Fuel Tank
- Solid Single Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube ladder
- Chock St
- Console Cover
- Lifting Harness
- Color Boat Customization
- Special Aventor Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	12'	3.66 M
OVERALL BEAM	6' 1"	1.86 M
INSIDE LENGTH	9' 2"	2.79 M
INSIDE BEAM	2' 10"	0.86 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	6	6
WEIGHT	405 LBS	184 KG
MAXIMUM HP	50 HP	37.3 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	14 GAL	53 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- Stainless Steel Gas Springs
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating - Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Molded-In Rear Seat with Ample Storage
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- Lifting Harness
- Fiberglass Console With Lateral Access
- Color Boat Customization
- Special Adventure Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	13'	3.96 M
OVERALL BEAM	6' 4"	1.93 M
INSIDE LENGTH	9' 9"	2.97 M
INSIDE BEAM	3' 1"	0.94 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	7	7
WEIGHT	477 LBS	217 KG
MAXIMUM HP	60 HP	44.8 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	14 GAL	53 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- Stainless Steel Gas Springs
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Molded-In Rear Seat with Ample Storage
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- Lifting Harness
- Fiberglass Console With Lateral S
- Color Boat Customization
- Special Adventure Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	14'	4.27 M
OVERALL BEAM	6' 5"	1.96 M
INSIDE LENGTH	10' 10"	3.30 M
INSIDE BEAM	3' 1"	0.94 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	8	8
WEIGHT	510 LBS	232 KG
MAXIMUM HP	70 HP	52.2 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	14 GAL	53 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Mechanical Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- Stainless Steel Gas Springs
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Molded-In Rear Seat with Ample Storage
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- Lifting Harness
- Fiberglass Console With Lateral Seats
- Color Boat Customization
- Special Adventure Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	15'	4.57 M
OVERALL BEAM	6' 6"	1.99 M
INSIDE LENGTH	11' 6"	3.50 M
INSIDE BEAM	3' 2"	0.97 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	9	9
WEIGHT	605 LBS	275 KG
MAXIMUM HP	75 HP	56.0 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	25 GAL	95 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- Height Adjustable Steering Wheel (17 FE Version)
- SS Cupholders (17 FE Version)
- 12VDC Socket & SB-C Port
- LED Courtesy Lights (17 FE Version)
- Stainless Steel Gas Springs
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (17 FE Version / Subject to country of Delivery)
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating-Spradling ®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Molded-In Rear Seat with Ample Storage
- Fresh Water System (17 FE Version)
- Stern Recessed Foldable Ladder
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Bow Rider Seats
- Sunbathing Bed
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube ladder
- Chock St
- Console Cover
- Lifting Harness
- Fiberglass Console With Lateral Access
- Color Boat Customization
- Special Aventura Tube Design
- Seadek ® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	17'	5.18 M
OVERALL BEAM	8' 1"	2.46 M
INSIDE LENGTH	13' 1"	3.99 M
INSIDE BEAM	4' 2"	1.27 M
TUBE DIAMETER	20"	0.51 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	12	12
WEIGHT	1104 LBS	502 KG
MAXIMUM HP	115 HP	85.8 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	33 GAL	125 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
WATER BUILT-IN TANK	10 GAL	38 LT
SHAFT LENGTH	20"	50.8 CM

STANDARD FEATURES

- Hydraulic Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- 12VDC Socket & SB-C Port
- Stainless Steel Gas Springs
- LED Courtesy Light
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (17 FE Version, 19-28 / Subject to Country of Delivery)
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seat
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Molded-In Rear Seat with Ample Storage
- Leaning Bolster
- Cupholders
- Fresh Water System
- Stern Foldable Ladder
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Light Arch
- Bimini Top
- T-top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- Lifting Harness
- Color Boat Customization
- Special Adventure Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	19'	5.79 M
OVERALL BEAM	8' 4"	2.53 M
INSIDE LENGTH	14' 11"	4.55 M
INSIDE BEAM	4' 4"	1.32 M
TUBE DIAMETER	22"	0.56 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	15	15
WEIGHT	1252 LBS	569 KG
MAXIMUM HP	150 HP	111.9 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	44 GAL	167 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
WATER BUILT-IN TANK	11 GAL	42 LT
SHAFT LENGTH	25"	63.5 CM

STANDARD FEATURES

- Hydraulic Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- 12VDC Socket & SB-C Port
- Stainless Steel Gas Springs
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating - Seadling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- Fiberglass Console With Plexiglass Windshield & Grab Rail
- Leaning Bolster
- Molded-In Rear Seat with Ample Storage
- Cupholders
- Fresh Water System
- Integrated Bow Rider Seats
- Stern Recessed Foldable Ladder
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handle on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Sunbathing Bed
- Light Arch
- Bimini Top
- T-top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- Lifting Harness
- 4 Stainless Steel Davit Lifting Points
- Color Boat Customization
- Special Aventura Tube Design
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	21' 4"	6.50 M
OVERALL BEAM	8' 10"	2.70 M
INSIDE LENGTH	17' 3"	5.25 M
INSIDE BEAM	4' 9"	1.44 M
TUBE DIAMETER	22"	0.56 M
NUMBER OF CHAMBERS	6	6
PERSON CAPACITY	18	18
WEIGHT	1808 LBS	820 KG
MAXIMUM HP	225.0 HP	167.9 KW
RDC DESIGN CATEGORY	C	C
FUEL BUILT-IN TANK	63 GAL	240 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
WATER BUILT-IN TANK	12 GAL	45 LT
SHAFT LENGTH	25"	63.5 CM

STANDARD FEATURES

- Hydraulic Steering System and SS Steering Wheel with Knob
- Standard Rigging From Factory
- SS Cupholders
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating Spradling ®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- Fiberglass Console with Forward Seat, Windshield and Grab Rail
- Stern Recessed Foldable Ladder (Available Only for the Single Engine Configuration)
- Fiberglass Leaning Bolster with Storage Compartment
- Molded-In Rear Seat with Ample Storage
- Fresh Water System
- Integrated Bow Rider Seats
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Dual Fiberglass Lean-On (Excludes Console Forward Seat)
- Light Arch
- Bimini Top
- T-Top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock Set
- Console Cover
- 4 Stainless Steel Davit Points
- Color Boat Customization
- Special Aventura Tube Design
- Seadek ® Foam Teak (Grey or Mocca)
- Sunbathing Bed

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	24'4"	7.41 M
OVERALL BEAM	9' 7"	2.92 M
INSIDE LENGTH	20' 2"	6.14 M
INSIDE BEAM	5' 5"	1.65 M
TUBE DIAMETER	23"	0.58 M
NUMBER OF CHAMBERS	6	6
PERSON CAPACITY	20	20
WEIGHT	2217 LBS	1006 KG
MAXIMUM HP	250 HP	186.5 KW
RDC DESIGN CATEGORY	B - C	B - C
FUEL BUILT-IN TANK	68 GAL	257 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
WATER BUILT-IN TANK	12 GAL	45 LT
SHAFT LENGTH	20" - 25"	50.8 CM - 63.5 CM

STANDARD FEATURES

- Hydraulic Steering System and Sport Steering Wheel
- Standard Rigging From Factory
- SS Cupholders
- 12VDC Socket & SB-C Port
- Stainless Steel Gas Springs
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country Delivery)
- Fuel/Water Separator & Caster
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating - Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- Fiberglass Console with Windshield, Grab Rail & Forward Seat
- Leaning Bolster
- Molded-In Rear Seat with Ample Storage
- Cupholders
- Fresh Water System
- Integrated Aluminum Fuel Tank
- Solid Double Rub Rail
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual



OPTIONAL FEATURES

- Bow Rider Seats
- Light Arch
- Bimini Top
- T-top
- Synthetic Teak Floor
- Compass
- Stereo System
- VHF Radio
- GPS
- Rod Holders
- Cover
- Lateral Tube Ladder
- Chock St
- Console Cover
- 4 Stainless Steel Davit Lifting Points
- Color Boat Customization
- Special Adventure Tube Design
- Large Console with Lateral Door
- Seadek® Foam Deck (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	27' 4"	8.33 M
OVERALL BEAM	10' 1"	3.07 M
INSIDE LENGTH	22' 11"	6.99 M
INSIDE BEAM	6' 4"	1.93 M
TUBE DIAMETER	24"	0.61 M
NUMBER OF CHAMBERS	6	6
PERSON CAPACITY	25	25
WEIGHT	2853 LBS	1297 KG
MAXIMUM HP	500 HP	372.8 KW
RDC DESIGN CATEGORY	B	B
FUEL BUILT-IN TANK * EPA built-in fuel tank 7% capacity reduction approx.	189 GAL	715 LT
WATER BUILT-IN TANK	12 GAL	45 LT
SHAFT LENGTH	30"	76.2 CM