

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Bow Locker/Seat with Vent & Storage with Capacity to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed with Fittings" Bow Locker
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Single Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Rail
- Bench Seat with Storeage
- Bow Locker with Cushioned Seating
- Stainless Steel Fold Down Cleat
- Bow Step With Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Special Aventor Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	9' 6"	2.90 M
OVERALL BEAM	5' 6"	1.68 M
INSIDE LENGTH	6' 11"	2.11 M
INSIDE BEAM	2' 6"	0.76 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	258 LBS	117 KG
MAXIMUM HP	25 HP	18.7 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Bow Locker/Seat with Vent & Storage with Capacity to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed with Fittings" Bow Locker
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Single Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Rail
- Bench Seat with Storeage
- Bow Locker with Cushioned Seating
- Stainless Steel Fold Down Cleat
- Bow Step With Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Special Aventura Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	10' 6"	3.19 M
OVERALL BEAM	5' 6"	1.68 M
INSIDE LENGTH	7' 6"	2.30 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	278 LBS	126 KG
MAXIMUM HP	25 HP	18.7 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Bow Locker/Seat with Vent & Storage with Capacity to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed with Fittings" Bow Locker
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Single Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Rail
- Integrated aluminum Rear Seat with Splashwell
- Courtesy Lights
- Bow Step with Cushion Seating
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Special Aventura Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	11' 6"	3.50 M
OVERALL BEAM	5' 7"	1.70 M
INSIDE LENGTH	8' 6"	2.60 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	300 LBS	136 KG
MAXIMUM HP	40 HP	29.8 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Bow Locker/Seat with Vent & Storage with Capacity to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed with Fittings" Bow Locker
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Single Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Special Aventura Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	12'	3.66 M
OVERALL BEAM	6' 1"	1.85 M
INSIDE LENGTH	8' 10"	2.70 M
INSIDE BEAM	2' 11"	0.89 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	6	6
WEIGHT	337 LBS	153 KG
MAXIMUM HP	40 HP	29.8 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Bow Locker/Seat with Vent & Storage with Capacity to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed with Fittings" Bow Locker
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Double Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Windshield and Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights
- Stern Ladder
- Double Purpose Folding Backrest



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Removable Lateral Seat
- Special Aventura Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	13'	3.96 M
OVERALL BEAM	6' 7"	2.00 M
INSIDE LENGTH	9' 10"	3.00 M
INSIDE BEAM	3' 3"	0.99 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	7	7
WEIGHT	452 LBS	205 KG
MAXIMUM HP	50 HP	37.3 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Bow Step with Cushion, Fold Down
- Stainless-Steel Cleat & LED Navigation lights
- FOAM TEAK (GREY OR MOCCA)
- Bow Locker/Seat with Vent & Storage
- Portable 6 gal Fuel Tank Installed With Fittings in Bow Locker
- Mechanical Steering System & Sport Steering Wheel - Installed from factory
- SS LED Navigation - Installed from factory
- All Around LED Anchor Light - Installed from factory
- Battery Master Switch - Installed from factory
- Bilge Pump - Installed from factory
- Fuel/Water Separator & Canister - Installed from factory
- SS Gas Springs on rearseat
- Ventilation on Bow Locker
- Large Square Transom Alum. Reinforced Base
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Ultra High Quality Welding
- Solid Double Rub Rail
- Heavy Duty Keel Protector
- More Internal Area
- Reinforced Alum. Bow Eye w/ SS Rings
- "V" Hull
- ORCA (CSM) Coated Fabric
- Sunbrella Fabric Boat Cover Available
- Reinforced Alum. Lifting Eyes with SS Rings
- Optional Removable Lateral Console Seat
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Reinforced Alum. Towing Eyes & Tie Downs w/ SS Rings
- Custom Colors Upon Request
- 12V DC SOCKET & USB-C PORT
- SS Cupholders
- Courtesy Lights



OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Removable Lateral Seat
- Special Aventura Tube Design
- Bimini Top

SPECIFICATION	US UNIT	METRIC
OVERALL LENGTH	14'	4.27 M
OVERALL BEAM	6' 7"	2.00 M
INSIDE LENGTH	10' 10"	3.30 M
INSIDE BEAM	3' 3"	0.99 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	4	4
PERSON CAPACITY	8	8
WEIGHT	472 LBS	214 KG
MAXIMUM HP	60 HP	44.7 KW
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Double Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Windshield and Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights
- Stern Ladder
- Double Purpose Folding Backrest
- Integrated Aluminum Fuel Tank 16-Gal



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Removable Lateral Seat
- Bow Rider Seat with Cuholder, Port Side
- Special Aventor Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	15'	4.57 M
OVERALL BEAM	6' 9"	2.06 M
INSIDE LENGTH	11' 8"	3.55 M
INSIDE BEAM	3' 4"	1.03 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	9	9
WEIGHT	604 LBS	274 KG
MAXIMUM HP	70 HP	52.2 KW
SHAFT LENGTH	20"	50.8 CM
FUEL BUILT-IN TANK	17 GAL	64 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Double Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Windshield and Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights
- Stern Ladder
- Double Purpose Folding Backrest
- Integrated Aluminum Fuel Tank



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Removable Lateral Seat
- Bow Rider Seat with Cuholder, Port Side
- Special Aventor Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	16'	4.88 M
OVERALL BEAM	7'	2.14 M
INSIDE LENGTH	13' 2"	4.01 M
INSIDE BEAM	3' 6"	1.08 M
TUBE DIAMETER	20"	0.51 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	10	10
WEIGHT	657 LBS	298 KG
MAXIMUM HP	70 HP	52.2 KW
SHAFT LENGTH	20"	50.8 CM
FUEL BUILT-IN TANK	17 GAL	64 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
RDC DESIGN CATEGORY	C	C

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Mechanical Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Stainless Steel Gas Springs
- Solid Double Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Windshield and Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights
- Stern Ladder
- Double Purpose Folding Backrest
- Integrated Aluminum Fuel Tank
- Bow Rider with Storage



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Removable Lateral Seat
- Bow Rider Seat with Cuholder, Port Side
- Special Aventor Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	16'	4.87 M
OVERALL BEAM	7' 1"	2.16 M
WEIGHT (DRY)	776 LBS	352 KG
WEIGHT (WET)	1299 LBS	589 KG
TUBE DIAMETER	20"	0.51 M
PERSON CAPACITY	10	10
HP RECOMMENDED	70 HP	KW
MAXIMUM HP	90 HP	KW
SHAFT LENGHT	20"	50.8 CM
FUEL BUILT-IN TANK	17 GAL	64 LT

* EPA built-in fuel tank 7% capacity reduction approx.

STANDARD FEATURES

- Marine Grade Aluminum Hull
- White Painted Deck - Keel Unpainted
- Hydraulic Steering System and Sport Steering Wheel
- SS LED Navigation Light
- All Around Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- Integrated Aluminium Fuel Tank
- Stainless Steel Gas Springs
- Solid Double Rub Rail
- Seadek ® Foam Teak (Grey or Mocca)
- Bow Eye
- Davit Lifting Points
- Orca (CSM) Coated Fabric
- Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Fully Upholstered Seating-Spradling ®
- Fiberglass Console With Windshield and Rail
- Integrated aluminum Rear Seat with Splashwell
- 3 Stainless Steel Fold Down Cleats
- Bow Step with Cushion
- Standard Rigging from Factory
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual
- 12 DC Socket & USB-C Port
- SS Cupholders
- Courtesy Lights
- Stern Ladder
- Double Purpose Folding Backrest



OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Lifting Harness
- Synthetic Teak
- Stereo System
- Compass
- GPS
- VHF Radio
- Color Boat Customization
- Console with Lateral Seat
- Bow Rider Seat with Cuholder, Port Side
- Bow Rider Seats (Pair)
- Special Aventor Tube Design

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	18'	5.49 M
OVERALL BEAM	7' 10"	2.40 M
INSIDE LENGTH	14' 8"	4.47 M
INSIDE BEAM	4' 3"	1.30 M
TUBE DIAMETER	21"	0.53 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	12	12
WEIGHT	957 LBS	434 KG
MAXIMUM HP	115 HP	85.8 KW
SHAFT LENGTH	25"	63.5 CM
FUEL BUILT-IN TANK	32 GAL	120 LT
* EPA built-in fuel tank 7% capacity reduction approx.		
RDC DESIGN CATEGORY	C	C